

eCandidatV2

Kevin

Table of Contents


Entity Model.....	4
-------------------	---


Table of Figures

Entity Model.....	4
-------------------	---







Entity Relationship Diagram

Entity Model



Name	Value
Name	Entity Model
Author	Kevin Hergalant
Create Date Time	6 janv. 2015 14:54:19
Last Modified	20 févr. 2017 12:51:19
Transit To	 Class Diagram
Data Model	Physical

Summary

Name	Description
 preference_individu	table des preferences individu
 formulaire	table des formulaires
 histo_num_dossier	table d'historique des numéro de dossier
 individu	table des individus
 siscol_utilisateur	Réréntiel SiScol : Table des utilisateurs
 siscol_centre_ges	Réréntiel SiScol : Centres de gestion

formulaire_form	table de jointure formulaires-formations
droit_profil	table des profils
batch	table des batchs
batch_histo	table d'historique de lancement des jobs
droit_profil_ind	table des profils associé à des logins
formation	table des formations
formulaire_cand	table des formulaires (NC) de la candidature
pj_cand	table des pj déposées par le candidat pour une formation
siscol_annee_uni	Réréfentiel SiScol : Table des années universitaires
siscol_typ_diplome	Réréfentiel SiScol : Typologie des diplomes
commission_membre	table des membres de commissions
gestionnaire	table des gestionnaires de ctr candidature
droit_profil_fonc	table d'association droit fonctionnalité
droit_fonctionnalite	table des fonctionnalités
type_statut_piece	table de type de statut des pièces (pj et formulaire)
batch_run	table du dernier run
gestionnaire_commission	table des gestionnaires de commission
type_traitement	table des types de traitement
load_balancing_reload_run	table de besoin de reload de liste en cache
alert_sva	table des couleurs d'alertes SVA
pj_form	table associative liant des pièces et des formations
load_balancing_reload	table des éléments à recharger
commission	table des commissions
compte_minima	table des comptes à minima
piece_justif	table des pièces justificatives
fichier	table des fichiers
centre_candidature	table des centres de candidatures
candidat_cursus_pro	table des cursus pro ou stage
candidat_stage	table des stages d'un candidat
candidature	table des candidatures
adresse	table des adresses
post_it	table des post-it
campagne	table des campagne de candidature
type_decision	table des types de décision
type_avis	table des types d'avis
type_statut	table des type de statut du dossier de candidature

 candidat	table des candidats
 pj_candidat	table des pièces d'un candidat provenant du SiScol
 civilite	table des civilités
 opi	table des opi en attente
 type_decision_candidature	table de l'historique des decisions d'une candidature
 mail	table des mails
 formulaire_candidat	table des réponses aux formulaires limesurvey
 siscol_mention_niv_bac	Référentiel SiScol : Mentions accordees au baccalaureat
 i18n	tables des identifiants i18n
 candidat_bac_ou_equ	table des bacs ou equ du candidat
 type_traduction	table des types de traduction
 siscol_pays	Référentiel SiScol : Table des pays
 langue	table des langues
 motivation_avis	table des motivations d'avis
 i18n_traduction	tables des traductions
 message	table des messages
 siscol_bac_ou_equ	Référentiel SiScol : Baccalaureats ou equivalences
 candidat_cursus_interne	table des cursus interne du candidat
 faq	table des elements FAQ
 siscol_etablissement	Référentiel SiScol : Etablissements francais sec ou sup
 siscol_commune	Référentiel SiScol : Table des communes
 siscol_typ_resultat	Référentiel SiScol : Types de résultats
 siscol_dip_aut_cul	Référentiel SiScol : Diplomes de l'enseignement superieur
 candidat_cursus_post_bac	table des cursus post bac (interne et externe)
 siscol_com_bdi	Referentiel SiScol : association code commune, code postal
 parametre	table des paramètres
 lock_candidat	table des locks eCandidat
 siscol_departement	Référentiel SiScol : Table des departements
 siscol_mention	Référentiel SiScol : Mention
 version	table des versions

Details

preference_individu

Name	Value
Description	table des preferences individu
Data Model	Physical

Quality Score	Ignore	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 sept. 2016 13:23:44
	Last Modified	1 sept. 2016 18:29:54

Columns Summary

Name	Data Type	Constraints	Nullable	Description
login_ind	varchar(50)	PK/FK (individu.login_ind)	No	login individu
cod_pref	char(1)	PK	No	code de la preference
val_pref	varchar(550)		No	valeur de la préférence

Columns


login_ind		
Description	login individu	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	50	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 sept. 2016 13:25:17
	Last Modified	1 sept. 2016 13:27:47

cod_pref	
Description	code de la preference
Type	char
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	1
Scale	0


Id Generator	native	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 sept. 2016 13:25:53
	Last Modified	1 sept. 2016 13:27:47

val_pref		
Description	valeur de la préférence	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	550	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 sept. 2016 13:25:58
	Last Modified	1 sept. 2016 18:29:54

Relationships

fk_individu_preference_individu_login_ind : Relationship		
From	 individu	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 sept. 2016 13:25:17
	Last Modified	1 sept. 2016 13:39:56

formulaire


Name	Value	
Description	table des formulaires	
Data Model	Physical	
Mapped Class	 Formulaire	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	29 janv. 2015 15:02:25
	Last Modified	1 mars 2016 12:52:06

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_formulaire	int(10)	PK	No	identifiant du formulaire
id_formulaire_limesurvey	int(11)		No	identifiant limesurvey du formulaire
cod_formulaire	varchar(20)	Unique	No	code du formulaire
lib_formulaire	varchar(50)		No	libellé du formulaire
id_i18n_lib_formulaire	int(10)	FK (i18n.id_i18n)	No	identifiant i18n du libellé du formulaire
id_i18n_url_formulaire	int(10)	FK (i18n.id_i18n)	No	identifiant i18n de l'url du formulaire
tes_formulaire	bit(1)		No	temoin en service du formulaire
tem_conditionnel_formulaire	bit(1)		No	temoin de piece conditionnelle du formulaire
tem_commun_formulaire	bit(1)		No	temoin de commun a toute les


				formation du formulaire
id_ctr_cand	int(10)	FK (centre_candidature.id_ctr_cand)	Yes	identifiant du centre de candidature
dat_cre_formulaire	datetime		No	date de création
user_cre_formulaire	varchar(30)		No	user de création
dat_mod_formulaire	datetime		No	date de modification
user_mod_formulaire	varchar(30)		No	user de modification


Columns

id_formulaire		
Description	identifiant du formulaire	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_formulaire	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:02:36
	Last Modified	1 mars 2016 12:52:06

id_formulaire_limesurvey	
Description	identifiant limesurvey du formulaire
Type	int
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	11
Scale	0

Attribute Model	 id_formulaire_limesurvey	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	14 sept. 2015 15:16:15
	Last Modified	1 mars 2016 12:52:06


cod_formulaire		
Description	code du formulaire	
Type	varchar	
Nullable	false	
Unique	true	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_formulaire	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:03:25
	Last Modified	1 mars 2016 12:52:06


lib_formulaire		
Description	libellé du formulaire	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 lib_formulaire	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 mars 2015 15:06:34
	Last Modified	1 mars 2016 12:52:06


id_i18n_lib_formulaire		
Description	identifiant i18n du libellé du formulaire	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:02:42
	Last Modified	1 mars 2016 12:40:09

id_i18n_url_formulaire		
Description	identifiant i18n de l'url du formulaire	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:05:04
	Last Modified	1 mars 2016 12:40:09


tes_formulaire	
Description	temoin en service du formulaire
Type	bit
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	1
Scale	0

Attribute Model	 tes_formulaire	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:03:41
	Last Modified	1 mars 2016 12:52:06


tem_conditionnel_formulaire		
Description	temoin de piece conditionnelle du formulaire	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_conditionnel_formulaire	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:04:35
	Last Modified	1 mars 2016 12:52:06


tem_commun_formulaire		
Description	temoin de commun a toute les formation du formulaire	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_commun_formulaire	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:05:25
	Last Modified	1 mars 2016 12:52:06


id_ctr_cand		
Description	identifiant du centre de candidature	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:05:49
	Last Modified	1 mars 2016 12:40:09

dat_cre_formulaire		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_formulaire	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_cre_formulaire	
Description	user de création
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	30

Scale	0	
Attribute Model	 user_cre_formulaire	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06


dat_mod_formulaire		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_formulaire	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_mod_formulaire		
Description	user de modification	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_formulaire	
Generated	Unspecified	
Sync To Attribute	Yes	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

Relationships


fk_formulaire_formation_pj_id_pj : Relationship

To	 formulaire_form	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 16:18:06
	Last Modified	1 mars 2016 12:52:06

fk_formulaire_cand_formulaire_id_formulaire : Relationship


To	 formulaire_cand	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 17:32:20
	Last Modified	1 mars 2016 12:52:06

fk_i18n_formulaire_id18n_lib : Relationship


From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary

Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 mars 2015 17:58:04
	Last Modified	1 mars 2016 12:52:06


fk_i18n_formulaire_id18n_url : Relationship

From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 mars 2015 17:58:56
	Last Modified	1 mars 2016 12:52:06

fk_centre_candidature_formulaire_id_ctr_cand : Relationship

From	 centre_candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 mars 2015 09:26:01
	Last Modified	1 mars 2016 12:52:06


histo_num_dossier

Name	Value	
Description	table d'historique des numéro de dossier	
Data Model	Physical	
Mapped Class	 Histo_num_dossier	
Quality Score	Ignore	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	16 déc. 2015 09:13:51
	Last Modified	1 sept. 2016 13:28:09


Columns Summary

Name	Data Type	Constraints	Nullable	Description
num_dossier	varchar(8)	PKUnique	No	identifiant du candidat : 6 caractères alphanumériques aléatoires en majuscule préfixés par deux lettres paramétrées au niveau de l'application
cod_camp	varchar(20)		No	code de la campagne


Columns

num_dossier	
Description	identifiant du candidat : 6 caractères alphanumériques aléatoires en majuscule préfixés par deux lettres paramétrées au niveau de l'application
Type	varchar
Nullable	false
Unique	true
Primary Key	true
Index	false
Length	8
Scale	0
Id Generator	assigned
Attribute Model	 num_dossier
Generated	Unspecified

Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:56:15
	Last Modified	1 mars 2016 12:52:06

cod_camp		
Description	code de la campagne	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_camp	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 13:56:09
	Last Modified	1 mars 2016 12:52:06

individu


Name	Value	
Description	table des individus	
Data Model	Physical	
Mapped Class	 Individu	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	3 mars 2015 14:48:19
	Last Modified	1 sept. 2016 13:27:47


Columns Summary


Name	Data Type	Constraints	Nullable	Description
------	-----------	-------------	----------	-------------

login_ind	varchar(50)	PK	No	login de l'individu
libelle_ind	varchar(255)		No	displayName de l'individu
mail_ind	varchar(255)		Yes	mail de l'individu



Columns

login_ind		
Description	login de l'individu	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	50	
Scale	0	
Attribute Model	 login_ind	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	24 févr. 2014 17:18:04
	Last Modified	14 avr. 2016 16:50:20

libelle_ind		
Description	displayName de l'individu	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	255	
Scale	0	
Attribute Model	 libelle_ind	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	23 févr. 2015 09:53:02
	Last Modified	1 mars 2016 12:52:06


mail_ind		
Description	mail de l'individu	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	255	
Scale	0	
Attribute Model	 mail_ind	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 mars 2015 14:49:27
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_droit_profil_ind_individu_login_ind : Relationship		
To	 droit_profil_ind	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 mars 2015 14:52:20
	Last Modified	1 mars 2016 12:52:06
fk_individu_preference_individu_login_ind : Relationship		
To	 preference_individu	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	

From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 sept. 2016 13:25:17
	Last Modified	1 sept. 2016 13:39:56


sicol_utilisateur


Name	Value	
Description	Rérérentiel SiScol : Table des utilisateurs	
Data Model	Physical	
Mapped Class	 Sicol_utilisateur	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Constraint Name	UTI_PK	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_uti	int(10)	PK	No	id de l'utilisateur
cod_uti	varchar(30)		No	Code Utilisateur D'APOGEE connu d'ORACLE
cod_cge	varchar(3)	FK (sicol_centre_gestion.cod_cge)	Yes	(COPIED)Code Centre de Gestion d'appartenance de l'utilisateur
lib_cmt_uti	varchar(200)		Yes	Libelle long associe a l'utilisateur
tem_en_sve_uti	bit(1)		No	Temoin code en service de l'utilisateur
adr_mail_uti	varchar(200)		Yes	Adresse mail de l'utilisateur


Columns

id_uti		
Description	id de l'utilisateur	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	assigned	
Attribute Model	 id_uti	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	17 déc. 2015 10:34:46
	Last Modified	1 mars 2016 12:40:09


cod_uti		
Description	Code Utilisateur D"APOGEE connu d"ORACLE	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	30	
Scale	0	
Id Generator	assigned	
Attribute Model	 cod_uti	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


cod_cge	
Description	(COPIED)Code Centre de Gestion d'appartenance de l'utilisateur
Type	varchar
Nullable	true

Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Id Generator	native	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:57
	Last Modified	6 mai 2015 12:57:43

lib_cmt_uti		
Description	Libelle long associe a l'utilisateur	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	200	
Scale	0	
Id Generator	native	
Attribute Model	 lib_cmt_uti	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

tem_en_sve_uti	
Description	Temoin code en service de l'utilisateur
Type	bit
Nullable	false
Unique	false
Primary Key	false
Index	false
Type Name	VARCHAR2
Length	1


Scale	0	
Attribute Model	 tem_en_sve_utili	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

adr_mail_utili		
Description	Adresse mail de l'utilisateur	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	200	
Scale	0	
Id Generator	native	
Attribute Model	 adr_mail_utili	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

Constraints


DMD978A		
Check Constraint	TEM_AUT_SPE_MCC IN ('O','N')	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56

Relationships

fk_sicol_centre_gestion_utilisateur_cod_cge : Relationship		
From	 sicol_centre_gestion	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	

Subtype	false	
On Delete	Restrict	
On Update	Cascade	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:57
	Last Modified	1 mars 2016 12:52:06

sicol_centre_gestion


Name	Value	
Description	Référentiel SiScol : Centres de gestion	
Data Model	Physical	
Mapped Class	 Sicol_centre_gestion	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Constraint Name	CGE_PK	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_cge	varchar(3)	PK	No	Code Centre de Gestion
lib_cge	varchar(40)		No	Libelle Long Centre de Gestion
lic_cge	varchar(10)		No	Libelle Court Centre de Gestion
tem_en_sve_cge	bit(1)		No	Temoin Code en Service


Columns


cod_cge	
Description	Code Centre de Gestion

Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Id Generator	assigned	
Attribute Model	 cod_cge	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


lib_cge		
Description	Libelle Long Centre de Gestion	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	40	
Scale	0	
Id Generator	native	
Attribute Model	 lib_cge	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


lic_cge	
Description	Libelle Court Centre de Gestion
Type	varchar
Nullable	false
Unique	false
Primary Key	false


Index	false	
Type Name	VARCHAR2	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 lic_cge	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

tem_en_sve_cge		
Description	Temoin Code en Service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_cge	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

Relationships

fk_siscol_centre_gestion_utilisateur_cod_cge : Relationship		
To	 siscol_utilisateur	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
On Delete	Restrict	
On Update	Cascade	
To Multiplicity	0..*	

From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:57
	Last Modified	1 mars 2016 12:52:06
fk_formation_siscol_centre_gestion_cod_cge : Relationship		
To	 formation	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:42:05
	Last Modified	1 mars 2016 12:52:06

fk_gestionnaire_cge_cod_cge : Relationship		
To	 gestionnaire	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 avr. 2015 16:11:22
	Last Modified	1 mars 2016 12:52:06

 **formulaire_form**

Name	Value	
Description	table de jointure formulaires-formations	
Data Model	Physical	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	29 janv. 2015 15:07:12
	Last Modified	1 mars 2016 12:33:42

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_formulaire	int(10)	PK/FK (formulaire.id_formulaire)	No	identifiant du formulaire
id_form	int(10)	PK/FK (formation.id_form)	No	identifiant de la formation



Columns

id_formulaire		
Description	identifiant du formulaire	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:07:30
	Last Modified	29 janv. 2015 17:05:26

id_form	
Description	identifiant de la formation
Type	int
Nullable	false
Unique	false


Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:07:39
	Last Modified	29 janv. 2015 17:05:26

Relationships

fk_formulaire_formation_pj_id_pj : Relationship		
From	 formulaire	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 16:18:06
	Last Modified	1 mars 2016 12:52:06
fk_formulaire_form_formation_id_form : Relationship		
From	 formation	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 16:18:36
	Last Modified	1 mars 2016 12:52:06

droit_profil


Name	Value	
Description	table des profils	
Data Model	Physical	
Mapped Class	 Droit_profil	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	24 févr. 2014 17:16:50
	Last Modified	18 oct. 2016 17:20:40


Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_profil	int(10)	PK	No	identifiant du profil
cod_profil	varchar(20)	Unique	No	code du profil
lib_profil	varchar(255)		No	libellé du profil
typ_profil	varchar(1)		No	type de profil : admin (A), gestionnaire (G) ou commission (C)
tem_updatable	bit(1)		No	temoin pour savoir si le droit est modifiable
tes_profil	bit(1)		No	témoin en service du profil
dat_cre_profil	datetime		No	date de création

user_cre_profil	varchar(30)		No	user de création
dat_mod_profil	datetime		No	date de modification
user_mod_profil	varchar(30)		No	user de modification

Columns


id_profil		
Description	identifiant du profil	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_profil	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 11:06:46
	Last Modified	1 mars 2016 12:52:06


cod_profil		
Description	code du profil	
Type	varchar	
Nullable	false	
Unique	true	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_profil	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	24 févr. 2014 17:17:04
	Last Modified	1 mars 2016 12:52:06


lib_profil		
Description	libellé du profil	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	255	
Scale	0	
Attribute Model	 lib_profil	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 avr. 2014 10:31:29
	Last Modified	1 mars 2016 12:52:06

typ_profil		
Description	type de profil : admin (A), gestionnaire (G) ou commission (C)	
Default Value	G	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 juil. 2016 17:08:55
	Last Modified	18 oct. 2016 17:20:40


tem_updatable	
Description	temoin pour savoir si le droit est modifiable
Type	bit
Nullable	false
Unique	false
Primary Key	false
Index	false


Length	1	
Scale	0	
Attribute Model	 tem_updatable	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 févr. 2015 15:07:18
	Last Modified	1 mars 2016 12:52:06

tes_profil		
Description	témoin en service du profil	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_profil	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	23 févr. 2015 18:05:37
	Last Modified	1 mars 2016 12:52:06


dat_cre_profil		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_profil	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06



user_cre_profil		
Description	user de création	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_profil	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

dat_mod_profil		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_profil	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_mod_profil	
Description	user de modification
Type	varchar


Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_profil	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_droit_user_profil_droit_profil_id_profil : Relationship		
To	 droit_profil_ind	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	24 févr. 2014 17:19:27
	Last Modified	1 mars 2016 12:52:06
fk_droit_profil_fonc_droit_profil_id_profil : Relationship		
To	 droit_profil_fonc	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	24 févr. 2014 17:21:25
	Last Modified	1 mars 2016 12:52:06

batch

Name	Value	
Description	table des batchs	
Data Model	Physical	
Mapped Class	 Batch	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	30 janv. 2015 12:37:31
	Last Modified	1 mars 2016 12:52:06


Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_batch	varchar(30)	PK	No	code du batch
lib_batch	varchar(50)		No	libellé du batch
tes_batch	bit(1)		No	témoin en service
tem_is_launch_imedia_batch	bit(1)		No	témoin indiquant si le job vient d'être lancé manuellement
tem_lundi_batch	bit(1)		No	témoin si le lancement doit se faire le lundi
tem_mardi_batch	bit(1)		No	témoin si le lancement doit se faire le mardi
tem_mercr_batch	bit(1)		No	témoin si le lancement


				doit se faire le mercredi
tem_jeudi_batch	bit(1)		No	témoin si le lancement doit se faire le jeudi
tem_vendredi_batch	bit(1)		No	témoin si le lancement doit se faire le vendredi
tem_samedi_batch	bit(1)		No	témoin si le lancement doit se faire le samedi
tem_diman_batch	bit(1)		No	témoin si le lancement doit se faire le dimanche
fixe_hour_batch	time		No	heure spécifique du lancement du job
fixe_day_batch	int(10)		Yes	jour de lancement du batch
fixe_month_batch	int(10)		Yes	mois de lancement du batch
fixe_year_batch	int(10)		Yes	jour fixe de lancement du batch
last_dat_execution_batch	datetime		Yes	date de la dernière execution


Columns


cod_batch	
Description	code du batch
Type	varchar
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	30
Scale	0

Attribute Model	 cod_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:39:05
	Last Modified	1 mars 2016 12:52:06


lib_batch		
Description	libellé du batch	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 lib_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:39:12
	Last Modified	1 mars 2016 12:52:06


tes_batch		
Description	témoin en service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:40:12
	Last Modified	1 mars 2016 12:52:06


tem_is_launch_imedia_batch		
Description	témoin indiquant si le job vient d'etre lancé manuellement	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_is_launch_imedia_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 14:53:18
	Last Modified	1 mars 2016 12:52:06

tem_lundi_batch		
Description	témoin si le lancement doit se faire le lundi	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_lundi_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:41:59
	Last Modified	1 mars 2016 12:52:06


tem_mardi_batch		
Description	témoin si le lancement doit se faire le mardi	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	


Length	1	
Scale	0	
Attribute Model	 tem_mardi_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:42:13
	Last Modified	1 mars 2016 12:52:06

tem_merchr_batch		
Description	témoin si le lancement doit se faire le mercredi	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_merchr_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:42:22
	Last Modified	1 mars 2016 12:52:06


tem_jeudi_batch		
Description	témoin si le lancement doit se faire le jeudi	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_jeudi_batch	
Generated	Unspecified	
Sync To Attribute	Yes	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:42:36
	Last Modified	1 mars 2016 12:52:06


tem_vendredi_batch		
Description	témoin si le lancement doit se faire le vendredi	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_vendredi_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:42:49
	Last Modified	1 mars 2016 12:52:06

tem_samedi_batch		
Description	témoin si le lancement doit se faire le samedi	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_samedi_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:43:03
	Last Modified	1 mars 2016 12:52:06


tem_diman_batch	
Description	témoin si le lancement doit se faire le dimanche
Type	bit

Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_diman_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:43:12
	Last Modified	1 mars 2016 12:52:06

fixe_hour_batch		
Description	heure spécifique du lancement du job	
Type	time	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 fixe_hour_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:46:21
	Last Modified	1 mars 2016 12:52:06


fixe_day_batch	
Description	jour de lancement du batch
Type	int
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	10
Scale	0
Attribute Model	 fixe_day_batch
Generated	Unspecified

Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 févr. 2015 15:48:37
	Last Modified	1 mars 2016 12:52:06


fixe_month_batch		
Description	mois de lancement du batch	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Attribute Model	 fixe_month_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 févr. 2015 15:49:06
	Last Modified	1 mars 2016 12:52:06

fixe_year_batch		
Description	jour fixe de lancement du batch	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Attribute Model	 fixe_year_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	17 févr. 2015 15:03:17
	Last Modified	1 mars 2016 12:52:06


last_dat_execution_batch	
Description	date de la deniere execution

Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 last_dat_execution_batch	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 avr. 2015 15:31:38
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_batch_histo_batch_cod_batch : Relationship		
To	 batch_histo	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 13:42:26
	Last Modified	1 mars 2016 12:52:06

batch_histo


Name	Value	
Description	table d'historique de lancement des jobs	
Data Model	Physical	
Mapped Class	 Batch_histo	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	

Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	30 janv. 2015 12:45:27
	Last Modified	1 mars 2016 12:52:06

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_batch_histo	int(10)	PK	No	identifiant de l'historique
cod_batch	varchar(30)	FK (batch.cod_batch)	No	code du batch
date_deb_batch_histo	datetime		Yes	date de début du batch
date_fin_batch_histo	datetime		Yes	date de fin de lancement
state_batch_histo	varchar(10)		Yes	état du batch


Columns

id_batch_histo		
Description	identifiant de l'historique	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_batch_histo	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:49:01
	Last Modified	1 mars 2016 12:52:06


cod_batch	
Description	code du batch
Type	varchar
Nullable	false
Unique	false

Primary Key	false	
Index	false	
Length	30	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 févr. 2015 18:09:28
	Last Modified	16 sept. 2015 18:28:44


date_deb_batch_histo		
Description	date de début du batch	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 date_deb_batch_histo	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:49:18
	Last Modified	1 mars 2016 12:52:06

date_fin_batch_histo		
Description	date de fin de lancement	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 date_fin_batch_histo	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 13:38:03
	Last Modified	1 mars 2016 12:52:06


state_batch_histo		
Description	état du batch	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Attribute Model	 state_batch_histo	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 12:49:38
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_batch_histo_batch_cod_batch : Relationship		
From	 batch	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 13:42:26
	Last Modified	1 mars 2016 12:52:06

droit_profil_ind


Name	Value
------	-------

Description	table des profils associé à des logins	
Data Model	Physical	
Mapped Class	 Droit_profil_ind	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	24 févr. 2014 17:17:31
	Last Modified	14 avr. 2016 16:50:20

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_droit_profil_ind	int(10)	PK	No	identifiant du user profil
login_ind	varchar(50)	FK (individu.login_ind)	No	login de l'individu
id_profil	int(10)	FK (droit_profil.id_profil)	No	identifiant du profil

Columns


id_droit_profil_ind		
Description	identifiant du user profil	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_droit_profil_ind	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	23 févr. 2015 09:38:05
	Last Modified	1 mars 2016 12:52:06


login_ind



Description	login de l'individu	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 mars 2015 14:51:46
	Last Modified	14 avr. 2016 16:50:20

id_profil		
Description	identifiant du profil	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 11:07:00
	Last Modified	23 févr. 2015 09:41:01

Relationships


fk_gestionnaire_droit_profil_ind_id_droit_profil_ind : Relationship		
To	 gestionnaire	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	

Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	4 mars 2015 10:17:34
	Last Modified	1 mars 2016 12:52:06
fk_droit_profil_ind_commission_membre_id_droit_profil_ind : Relationship		
To	 commission_membre	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	4 mars 2015 10:28:28
	Last Modified	1 mars 2016 12:52:06

fk_droit_user_profil_droit_profil_id_profil : Relationship		
From	 droit_profil	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	24 févr. 2014 17:19:27
	Last Modified	1 mars 2016 12:52:06
fk_droit_profil_ind_individu_login_ind : Relationship		
From	 individu	
Quality Score	Fair	

Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 mars 2015 14:52:20
	Last Modified	1 mars 2016 12:52:06

formation

Name	Value	
Description	table des formations	
Data Model	Physical	
Mapped Class	 Formation	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	22 janv. 2015 13:15:38
	Last Modified	18 oct. 2016 17:20:40

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_form	int(10)	PK	No	identifiant de la formation
id_comm	int(10)	FK (commission.id_comm)	No	identifiant de la commission de la formation
cod_typ_trait	varchar(2)	FK (type_traitement.cod_typ_trait)	No	type de traitement de la formation
cod_form	varchar(20)	Unique	No	code eCandidat de la formation

lib_form	varchar(200)		No	libellé eCandidat de la formation
cod_etp_vet_apo_form	varchar(20)		Yes	code etape apogée de la formation
cod_vrs_vet_apo_form	varchar(20)		Yes	code version etape apogée de la formation
lib_apo_form	varchar(120)		Yes	libellé apogée de la formation
id_typ_dec_fav	int(10)	FK (type_decision.id_typ_dec)	No	avis favorable à envoyer, lors de la validation des types de traitements, aux formations en Accès direct
tem_list_comp_form	bit(1)		No	activation ou désactivation de la gestion automatique des listes complémentaires
tem_demat_form	bit(1)		No	si les pièces justificatives seront dématérialisées ou non pour la formation
id_typ_dec_fav_list_comp	int(10)	FK (type_decision.id_typ_dec)	Yes	avis favorable à envoyer pour la gestion auto des liste complémentaires
dat_deb_depot_form	date		No	date de début de dépôt des voeux
dat_fin_depot_form	date		No	date de fin de dépôt des voeux
dat_retour_form	date		No	date limite de retour de dossier
dat_confirm_form	date		Yes	date limite de confirmation

dat_publi_form	date		Yes	date de publication des résultats
dat_jury_form	date		Yes	date de jury
dat_analyse_form	date		Yes	date de pré-analyse du dossier
cod_cge	varchar(3)	FK (siscol_centre_gestion.cod_cge)	No	code CGE rattaché
mot_cle_form	varchar(500)		Yes	mots clé pour la recherche dans l'offre de formation
cod_tpd_etb	varchar(2)	FK (siscol_typ_diplome.cod_tpd_etb)	No	type de diplôme associé
preselect_date_form	date		Yes	date de l'épreuve de sélection par défaut
preselect_heure_form	time		Yes	heure de l'épreuve de sélection par défaut
preselect_lieu_form	varchar(100)		Yes	lieu de l'épreuve de sélection par défaut
info_comp_form	varchar(500)		Yes	informations complémentaires de la formation
tes_form	bit(1)		No	témoin en service
dat_cre_form	datetime		No	date de création
user_cre_form	varchar(30)		No	user de création
dat_mod_form	datetime		No	date de modification
user_mod_form	varchar(30)		No	user de modification

Columns


id_form	
Description	identifiant de la formation


Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:17:12
	Last Modified	1 mars 2016 12:52:06

id_comm		
Description	identifiant de la commission de la formation	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:28:29
	Last Modified	8 avr. 2015 13:54:39


cod_typ_trait	
Description	type de traitement de la formation
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	2
Scale	0
Generated	Unspecified


Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:04:47
	Last Modified	29 janv. 2015 10:05:55


cod_form		
Description	code eCandidat de la formation	
Type	varchar	
Nullable	false	
Unique	true	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:17:20
	Last Modified	1 mars 2016 12:52:06

lib_form		
Description	libellé eCandidat de la formation	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	200	
Scale	0	
Attribute Model	 lib_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:17:22
	Last Modified	1 mars 2016 12:52:06

cod_etp_vet_apo_form	
Description	code etape apogée de la formation


Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_etp_vet_apo_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:17:23
	Last Modified	1 mars 2016 12:52:06

cod_vrs_vet_apo_form		
Description	code version etape apogée de la formation	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_vrs_vet_apo_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:17:23
	Last Modified	1 mars 2016 12:52:06

lib_apo_form		
Description	libellé apogée de la formation	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	120	
Scale	0	
Attribute Model	 lib_apo_form	

Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:17:25
	Last Modified	1 mars 2016 12:52:06


id_typ_dec_fav		
Description	avis favorable à envoyer, lors de la validation des types de traitements, aux formations en Accès direct	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 14:22:01
	Last Modified	29 janv. 2015 17:25:29


tem_list_comp_form		
Description	activation ou désactivation de la gestion automatique des listes complémentaires	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_list_comp_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:35
	Last Modified	1 mars 2016 12:52:06


tem_demat_form		
Description	si les pièces justificatives seront dématérialisées ou non pour la formation	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 août 2016 17:47:18
	Last Modified	22 août 2016 17:56:49

id_typ_dec_fav_list_comp		
Description	avis favorable à envoyer pour la gestion auto des liste complémentaires	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 14:22:01
	Last Modified	21 avr. 2015 09:36:34


dat_deb_depot_form	
Description	date de début de dépôt des vœux
Type	date
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	0


Scale	0	
Attribute Model	 dat_deb_depot_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:36
	Last Modified	1 mars 2016 12:52:06

dat_fin_depot_form		
Description	date de fin de dépôt des voeux	
Type	date	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_fin_depot_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:42
	Last Modified	1 mars 2016 12:52:06


dat_retour_form		
Description	date limite de retour de dossier	
Type	date	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_retour_form	
Generated	Unspecified	
Sync To Attribute	Yes	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:35:15
	Last Modified	1 mars 2016 12:52:06

dat_confirm_form		
Description	date limite de confirmation	
Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_confirm_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:43
	Last Modified	1 mars 2016 12:52:06

dat_publi_form		
Description	date de publication des résultats	
Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_publi_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:51
	Last Modified	1 mars 2016 12:52:06


dat_jury_form	
Description	date de jury
Type	date

Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_jury_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:52
	Last Modified	1 mars 2016 12:52:06

dat_analyse_form		
Description	date de pré-analyse du dossier	
Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_analyse_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:52
	Last Modified	1 mars 2016 12:52:06


cod_cge	
Description	code CGE rattaché
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Type Name	VARCHAR2
Length	3
Scale	0
Generated	Unspecified


Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:26:23
	Last Modified	28 janv. 2015 17:42:37


mot_cle_form		
Description	mots clé pour la recherche dans l'offre de formation	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	500	
Scale	0	
Attribute Model	 mot_cle_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:50:39
	Last Modified	1 mars 2016 12:52:06

cod_tpd_etb		
Description	type de diplome associé	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	2	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:22:49
	Last Modified	28 avr. 2015 12:16:36


preselect_date_form	
Description	date de l'épreuve de sélection par défaut


Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 preselect_date_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:50:50
	Last Modified	1 mars 2016 12:52:06

preselect_heure_form		
Description	heure de l'épreuve de sélection par défaut	
Type	time	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 preselect_heure_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:50:50
	Last Modified	1 mars 2016 12:52:06


preselect_lieu_form	
Description	lieu de l'épreuve de sélection par défaut
Type	varchar
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	100
Scale	0
Attribute Model	 preselect_lieu_form


Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:51:50
	Last Modified	1 mars 2016 12:52:06

info_comp_form		
Description	informations complémentaires de la formation	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	500	
Scale	0	
Attribute Model	 info_comp_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:20:02
	Last Modified	1 mars 2016 12:52:06


tes_form		
Description	témoin en service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:26:32
	Last Modified	1 mars 2016 12:52:06


dat_cre_form		
--------------	--	--

Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


user_cre_form		
Description	user de création	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06


dat_mod_form		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	


Scale	0	
Attribute Model	 dat_mod_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


user_mod_form		
Description	user de modification	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_form	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06


Relationships


fk_candidature_formation_id_form : Relationship		
To	 candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name		Value	
	Author		Kevin	
	Create Date Time		28 janv. 2015 14:16:11	
	Last Modified		1 mars 2016 12:52:06	
fk_pj_form_form_id_form : Relationship				
To	 pj_form			
Quality Score	Fair			
Quality Reason	Problem		Suggestion	
	Name does not contain glossary terms		Define name as term in glossary	
Identifying	false			
Subtype	false			
To Multiplicity	0..*			
From Multiplicity	1			
Sync To Association	Yes			
Data Model	Physical			
Project Management	Name		Value	
	Author		Kevin	
	Create Date Time		29 janv. 2015 16:14:54	
	Last Modified		1 mars 2016 12:52:06	


fk_formulaire_form_formation_id_form : Relationship				
To	 formulaire_form			
Quality Score	Fair			
Quality Reason	Problem		Suggestion	
	Name does not contain glossary terms		Define name as term in glossary	
Identifying	false			
Subtype	false			
To Multiplicity	0..*			
From Multiplicity	1			
Sync To Association	Yes			
Data Model	Physical			
Project Management	Name		Value	
	Author		Kevin	
	Create Date Time		29 janv. 2015 16:18:36	
	Last Modified		1 mars 2016 12:52:06	


fk_formation_type_decision_id_typ_dec_fav_list_comp : Relationship				
From	 type_decision			
Quality Score	Fair			
Quality Reason	Problem		Suggestion	
	Name does not contain glossary terms		Define name as term in glossary	
Identifying	false			


Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:24:40
	Last Modified	1 mars 2016 12:52:06
fk_formation_type_decision_id_typ_dec_fav_form : Relationship		
From	 type_decision	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 17:09:04
	Last Modified	1 mars 2016 12:52:06

fk_formation_commission_id_comm : Relationship		
From	 commission	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:28:39
	Last Modified	1 mars 2016 12:52:06

fk_formation_siscol_typ_diplome_cod_tpd_etb : Relationship		
---	--	--


From	 siscol_typ_diplome	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:23:14
	Last Modified	1 mars 2016 12:52:06

fk_formation_siscol_centre_gestion_cod_cge : Relationship		
From	 siscol_centre_gestion	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:42:05
	Last Modified	1 mars 2016 12:52:06

fk_formation_type_traitement_cod_typ_trait : Relationship		
From	 type_traitement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:05:05
	Last Modified	1 mars 2016 12:52:06

formulaire_cand

Name	Value	
Description	table des formulaires (NC) de la candidature	
Data Model	Physical	
Mapped Class	 Formulaire_cand	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	29 janv. 2015 15:09:47
	Last Modified	28 oct. 2016 10:49:45

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_formulaire	int(10)	PK/FK (formulaire.id_formulaire)	No	identifiant du formulaire
id_cand	int(10)	PK/FK (candidature.id_cand)	No	identifiant de la candidature
dat_cre_formulaire_cand	datetime		No	date de création
user_cre_formulaire_cand	varchar(30)		No	user de création
dat_mod_formulaire_cand	datetime		No	date de modification
user_mod_formulaire_cand	varchar(30)		No	user de modification

Columns


id_formulaire	
Description	identifiant du formulaire
Type	int
Nullable	false
Unique	false


Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:10:35
	Last Modified	29 janv. 2015 17:33:20

id_cand		
Description	identifiant de la candidature	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:10:48
	Last Modified	29 janv. 2015 17:05:26


dat_cre_formulaire_cand		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_formulaire_cand	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06



user_cre_formulaire_cand		
Description	user de création	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_formulaire_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

dat_mod_formulaire_cand		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_formulaire_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_mod_formulaire_cand	
Description	user de modification
Type	varchar


Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_formulaire_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_formulaire_cand_candidature_id_cand : Relationship		
From	 candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 16:17:21
	Last Modified	1 mars 2016 12:52:06
fk_formulaire_cand_formulaire_id_formulaire : Relationship		
From	 formulaire	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 17:32:20
	Last Modified	1 mars 2016 12:52:06

pj_cand

Name	Value	
Description	table des pj déposées par le candidat pour une formation	
Data Model	Physical	
Mapped Class	 Pj_cand	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	29 janv. 2015 15:09:47
	Last Modified	23 août 2016 14:05:27

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_pj	int(10)	PK/FK (piece_justif.id_pj)	No	identifiant de la pj
id_cand	int(10)	PK/FK (candidature.id_cand)	No	identifiant de la candidature
id_fichier	int(10)	FK (fichier.id_fichier)	Yes	fichier en demat'
cod_typ_statut_piece	varchar(2)	FK (type_statut_piece.cod_typ_statut_piece)	No	statut de la pièce
lib_file_pj_cand	varchar(500)		Yes	libellé de la pj déposée par le candidat
comment_pj_cand	varchar(500)		Yes	commentaire éventuel du gestionnaire
dat_cre_pj_cand	datetime		No	date de création
user_cre_pj_cand	varchar(30)		No	user de création

dat_mod_pj_cand	datetime		No	date de modification
user_mod_pj_cand	varchar(30)		No	user de modification
dat_mod_statut_pj_cand	datetime		Yes	date de modif du statut de la piece
user_mod_statut_pj_cand	varchar(30)		Yes	user de modif de statut de la piece

Columns

id_pj		
Description	identifiant de la pj	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:10:35
	Last Modified	29 janv. 2015 17:37:17


id_cand	
Description	identifiant de la candidature
Type	int
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	10
Scale	0
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:10:48
	Last Modified	29 janv. 2015 17:13:23


id_fichier		
Description	fichier en demat'	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 juin 2015 11:16:45
	Last Modified	16 juin 2015 11:18:18

cod_typ_statut_piece		
Description	statut de la pièce	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	2	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:21:10
	Last Modified	7 janv. 2016 16:10:38


lib_file_pj_cand	
Description	libellé de la pj déposée par le candidat
Type	varchar
Nullable	true
Unique	false


Primary Key	false	
Index	false	
Length	500	
Scale	0	
Attribute Model	 lib_file_pj_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:05:04
	Last Modified	1 mars 2016 12:52:06

comment_pj_cand		
Description	commentaire éventuel du gestionnaire	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	500	
Scale	0	
Attribute Model	 comment_pj_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:23:32
	Last Modified	1 mars 2016 12:52:06


dat_cre_pj_cand		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_pj_cand	
Generated	Unspecified	
Sync To Attribute	Yes	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


user_cre_pj_cand		
Description	user de création	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_pj_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

dat_mod_pj_cand		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_pj_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_mod_pj_cand	
Description	user de modification
Type	varchar




Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_pj_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

dat_mod_statut_pj_cand		
Description	date de modif du statut de la piece	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_statut_pj_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	2 sept. 2015 10:44:52
	Last Modified	1 mars 2016 12:52:06


user_mod_statut_pj_cand	
Description	user de modif de statut de la piece
Type	varchar
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	30
Scale	0
Attribute Model	 user_mod_statut_pj_cand
Generated	Unspecified

Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	2 sept. 2015 10:44:54
	Last Modified	1 mars 2016 12:52:06


Relationships

fk_pj_cand_type_statut_piece_cod : Relationship		
From	 type_statut_piece	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:21:07
	Last Modified	1 mars 2016 12:52:06
fk_cand_pj_form_cand_pk : Relationship		
From	 candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 16:13:12
	Last Modified	1 mars 2016 12:52:06
fk_pj_cand_pj_id_pj : Relationship		
From	 piece_justif	
Quality Score	Fair	

Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 17:37:02
	Last Modified	1 mars 2016 12:52:06

fk_fichier_pj_cand_id_fichier : Relationship		
From	 fichier	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 juin 2015 11:16:40
	Last Modified	1 mars 2016 12:52:06

sicol_annee_uni


Name	Value	
Description	Rérérentiel SiScol : Table des années universitaires	
Data Model	Physical	
Mapped Class	 Sicol_annee_uni	
Quality Score	Very Bad	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
	Model element without any relationship	Connect model element with relationship
Records	N/A	
Primary Key Clustered	Unspecified	

Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 avr. 2015 12:13:27
	Last Modified	1 mars 2016 12:52:06


Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_anu	varchar(4)	PK	No	Code Annee Universitaire
eta_anu_iae	varchar(1)		No	Etat de l'Annee Universitaire pour l'Inscription Administrative
lib_anu	varchar(40)		No	Libelle Long Annee Universitaire
lic_anu	varchar(10)		No	Libelle Court Annee Universitaire


Columns

cod_anu		
Description	Code Annee Universitaire	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	4	
Scale	0	
Id Generator	native	
Attribute Model	 cod_anu	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 avr. 2015 12:13:43
	Last Modified	1 mars 2016 12:52:06

eta_anu_iae	
Description	Etat de l'Annee Universitaire pour l'Inscription Administrative
Type	varchar


Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 eta_anu_iae	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 avr. 2015 12:14:29
	Last Modified	1 mars 2016 12:52:06

lib_anu		
Description	Libelle Long Annee Universitaire	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	40	
Scale	0	
Attribute Model	 lib_anu	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 avr. 2015 12:14:45
	Last Modified	1 mars 2016 12:52:06

lic_anu	
Description	Libelle Court Annee Universitaire
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	10
Scale	0
Attribute Model	 lic_anu
Generated	Unspecified

Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 avr. 2015 12:14:59
	Last Modified	1 mars 2016 12:52:06


sicol_typ_diplome

Name	Value	
Description	Rérérentiel SiScol : Typologie des diplomes	
Data Model	Physical	
Mapped Class	 Sicol_typ_diplome	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Constraint Name	TPD_PK	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_tpd_etb	varchar(2)	PK	No	Code Type Diplome Etablissement
lib_tpd	varchar(40)		No	Libelle Long Type Diplome SISE
lic_tpd	varchar(10)		No	Libelle Court Type Diplome SISE
tem_en_sve_tpd	bit(1)		No	Temoin en Service

Columns


cod_tpd_etb	
Description	Code Type Diplome Etablissement
Type	varchar
Nullable	false
Unique	false
Primary Key	true
Index	false
Type Name	VARCHAR2
Length	2
Scale	0
Id Generator	assigned
Attribute Model	 cod_tpd_etb
Generated	Unspecified

Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


lib_tpd		
Description	Libelle Long Type Diplome SISE	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	40	
Scale	0	
Id Generator	native	
Attribute Model	 lib_tpd	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

lic_tpd		
Description	Libelle Court Type Diplome SISE	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 lic_tpd	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

tem_en_sve_tpd		
Description	Temoin en Service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_tpd	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

Relationships

fk_formation_siscol_typ_diplome_cod_tpd_etb : Relationship		
To	 formation	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:23:14
	Last Modified	1 mars 2016 12:52:06

 **commission_membre**

Name	Value	
Description	table des membres de commissions	
Data Model	Physical	
Mapped Class	Commission_membre	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	4 mars 2015 10:23:29
	Last Modified	1 mars 2016 12:52:06

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_droit_profil_ind	int(10)	PK/FK (droit_profil_ind.id_droit_profil_ind)	No	identifiant du profil individu
id_comm	int(10)	FK (commission.id_comm)	No	identifiant de la commission
tem_is_president	bit(1)		No	temoin is president

Columns


id_droit_profil_ind	
Description	identifiant du profil individu
Type	int
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	10
Scale	0
Generated	Unspecified
Sync To Attribute	Yes
Project Management	Name
	Author
	Create Date Time
	Last Modified


id_comm	
Description	identifiant de la commission

Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	4 mars 2015 10:24:31
	Last Modified	4 mars 2015 10:43:41


tem_is_president		
Description	temoin is president	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_is_president	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:37:51
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_commission_membre_commission_id_comm : Relationship		
From	 commission	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	

Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:40:19
	Last Modified	1 mars 2016 12:52:06
fk_droit_profil_ind_commission_membre_id_droit_profil_ind : Relationship		
From	 droit_profil_ind	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	4 mars 2015 10:28:28
	Last Modified	1 mars 2016 12:52:06

gestionnaire

Name	Value	
Description	table des gestionnaires de ctr candidature	
Data Model	Physical	
Mapped Class	 Gestionnaire	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	4 mars 2015 10:09:40
	Last Modified	1 mars 2016 12:52:06

Columns Summary

Name	Data Type	Constraints	Nullable	Description
------	-----------	-------------	----------	-------------


id_droit_profil_ind	int(10)	PK/FK (droit_profil_ind.id_droit_profil_ind)	No	identifiant du profil individu
id_ctr_cand	int(10)	FK (centre_candidature.id_ctr_cand)	No	identifiant du centre de candidature
login_apo_gest	varchar(20)		Yes	login apogee eventuel du gestionnaire
cod_cge	varchar(3)	FK (sicol_centre_gestion.cod_cge)	Yes	code cge du gestionnaire
tem_all_comm_gest	bit(1)		No	témoin si le gestionnaire est gestionnaire de toutes les commissions du centre de candidature

Columns


id_droit_profil_ind		
Description	identifiant du profil individu	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	4 mars 2015 10:12:24
	Last Modified	4 mars 2015 10:29:28

id_ctr_cand	
Description	identifiant du centre de candidature
Type	int
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	10



Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	4 mars 2015 10:11:27
	Last Modified	4 mars 2015 10:29:28


login_apo_gest		
Description	login apogee eventuel du gestionnaire	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 login_apo_gest	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 févr. 2015 10:45:19
	Last Modified	1 mars 2016 12:52:06


cod_cge		
Description	code cge du gestionnaire	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 avr. 2015 16:11:27
	Last Modified	30 sept. 2015 16:07:34

tem_all_comm_gest		
Description	témoign si le gestionnaire est gestionnaire de toutes les commissions du centre de candidature	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_all_comm_gest	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 nov. 2015 14:28:46
	Last Modified	1 mars 2016 12:52:06


Relationships

gestionnaire_gestionnaire_commission_id_droit_profil_ind : Relationship		
To	 gestionnaire_commission	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 nov. 2015 14:30:44
	Last Modified	1 mars 2016 12:52:06
fk_centre_candidature_gestionnaire_id_ctr_cand : Relationship		
From	 centre_candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	

To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 févr. 2015 10:46:36
	Last Modified	1 mars 2016 12:52:06
fk_gestionnaire_droit_profil_ind_id_droit_profil_ind : Relationship		
From	 droit_profil_ind	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	4 mars 2015 10:17:34
	Last Modified	1 mars 2016 12:52:06

fk_gestionnaire_cge_cod_cge : Relationship		
From	 siscol_centre_gestion	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 avr. 2015 16:11:22
	Last Modified	1 mars 2016 12:52:06

droit_profil_fonc

Name	Value	
Description	table d'association droit fonctionnalité	
Data Model	Physical	
Mapped Class	 Droit_profil_fonc	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	24 févr. 2014 17:20:10
	Last Modified	1 mars 2016 12:52:06

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_profil	int(10)	PK/FK (droit_profil.id_profil)	No	id du profil
cod_fonc	varchar(20)	PK/FK (droit_fonctionnalite.cod_fonc)	No	code de la fonctionnalité
tem_read_only	bit(1)		No	temoin si la fonctionnalité est en read-only pour ce profil

Columns


id_profil	
Description	id du profil
Type	int
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	10
Scale	0
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 11:07:00
	Last Modified	30 janv. 2015 11:26:11

cod_fonc		
Description	code de la fonctionnalité	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	20	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 févr. 2015 15:31:44
	Last Modified	19 févr. 2015 11:02:02


tem_read_only		
Description	temoin si la fonctionnalité est en read-only pour ce profil	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_read_only	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 11:10:45
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_droit_profil_fonc_droit_fonctionnalite_cod_fonc : Relationship	
From	 droit_fonctionnalite
Quality Score	Fair

Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	24 févr. 2014 17:21:18
	Last Modified	1 mars 2016 12:52:06
fk_droit_profil_fonc_droit_profil_id_profil : Relationship		
From	 droit_profil	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	24 févr. 2014 17:21:25
	Last Modified	1 mars 2016 12:52:06

droit_fonctionnalite


Name	Value	
Description	table des fonctionnalités	
Data Model	Physical	
Mapped Class	 Droit_fonctionnalite	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	

Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	24 févr. 2014 17:16:01
	Last Modified	18 oct. 2016 17:17:43


Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_fonc	varchar(20)	PK	No	code de la fonctionnalité
lib_fonc	varchar(255)		No	libellé de la fonctionnalité
lic_fonc	varchar(50)		No	libellé court de la fonctionnalité
tem_open_com_fonc	bit(1)		No	témoin indiquant que la fonctionnalité est ouverte aux commissions
order_fonc	int(11)		No	ordre d'affichage de la fonctionnalité
tem_action_cand_fonc	bit(1)		No	témoin indiquant que la fonctionnalité est ouverte aux actions sur la candidature

Columns

cod_fonc	
Description	code de la fonctionnalité
Type	varchar
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	20
Scale	0
Attribute Model	 cod_fonc
Generated	Unspecified

Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	24 févr. 2014 17:16:18
	Last Modified	1 mars 2016 12:52:06

lib_fonc		
Description	libellé de la fonctionnalité	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	255	
Scale	0	
Attribute Model	 lib_fonc	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 avr. 2014 10:32:24
	Last Modified	1 mars 2016 12:52:06

lic_fonc		
Description	libellé court de la fonctionnalité	
Default Value	"	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 juil. 2016 09:49:06
	Last Modified	19 juil. 2016 09:59:55

tem_open_com_fonc


Description	témoin indiquant que la fonctionnalité est ouverte aux commissions	
Default Value	0	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 juil. 2016 18:15:22
	Last Modified	18 oct. 2016 17:17:43

order_fonc		
Description	ordre d'affichage de la fonctionnalité	
Default Value	0	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	11	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 juil. 2016 09:49:10
	Last Modified	18 oct. 2016 17:17:43


tem_action_cand_fonc		
Description	témoin indiquant que la fonctionnalité est ouverte aux actions sur la candidature	
Default Value	0	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	

Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 sept. 2016 09:28:13
	Last Modified	20 sept. 2016 09:29:37

Relationships

fk_droit_profil_fonc_droit_fonctionnalite_cod_fonc : Relationship		
To	 droit_profil_fonc	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	24 févr. 2014 17:21:18
	Last Modified	1 mars 2016 12:52:06


type_statut_piece


Name	Value	
Description	table de type de statut des pièces (pj et formulaire)	
Data Model	Physical	
Mapped Class	 Type_statut_piece	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	29 janv. 2015 15:19:31
	Last Modified	18 oct. 2016 14:50:34

Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_typ_statut_piece	varchar(2)	PK	No	code du type de statut
lib_typ_statut_piece	varchar(20)		No	libellé du type de statut
id_i18n_lib_typ_statut_piece	int(10)	FK (i18n.id_i18n)	No	idi18n de traduction de statut d'une piece
dat_mod_typ_statut_piece	datetime		Yes	date de modification


Columns

cod_typ_statut_piece		
Description	code du type de statut	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	2	
Scale	0	
Id Generator	native	
Attribute Model	 cod_typ_statut_piece	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:19:52
	Last Modified	1 mars 2016 12:52:06

lib_typ_statut_piece	
Description	libellé du type de statut
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	20
Scale	0
Attribute Model	 lib_typ_statut_piece



Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:20:05
	Last Modified	1 mars 2016 12:52:06

id_i18n_lib_typ_statut_piece		
Description	idi18n de traduction de statut d'une piece	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	11 juin 2015 10:50:43
	Last Modified	11 juin 2015 10:55:12


dat_mod_typ_statut_piece		
Description	date de modification	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_typ_statut_piece	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 nov. 2015 10:01:44
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_pj_cand_type_statut_piece_cod : Relationship

To	 pj_cand	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:21:07
	Last Modified	1 mars 2016 12:52:06
fk_type_statut_piece_i18n_id_i18n_lib_typ_statut_piece : Relationship		
From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	11 juin 2015 10:50:40
	Last Modified	1 mars 2016 12:52:06

batch_run


Name	Value	
Description	table du dernier run	
Data Model	Physical	
Mapped Class	 Batch_run	
Quality Score	Very Bad	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
	Model element without any relationship	Connect model element with relationship
Records	N/A	

Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	30 janv. 2015 13:43:02
	Last Modified	1 mars 2016 12:52:06


Columns Summary

Name	Data Type	Constraints	Nullable	Description
dat_last_check_run	datetime	PK	No	valeur du dernier run de batch

Columns

dat_last_check_run		
Description	valeur du dernier run de batch	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	0	
Scale	0	
Id Generator	native	
Attribute Model	 dat_last_check_run	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 13:43:28
	Last Modified	1 mars 2016 12:52:06

gestionnaire_commission

Name	Value	
Description	table des gestionnaires de commission	
Data Model	Physical	
Mapped Class	 Gestionnaire_commission	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Primary Key Clustered	Unspecified	

Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	30 nov. 2015 14:29:35
	Last Modified	1 mars 2016 12:52:06

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_droit_profil_ind	int(10)	FK (gestionnaire.id_droit_profil_ind)	No	id du profil gestionnaire
id_comm	int(10)	FK (commission.id_comm)	No	id de la commission



Columns

id_droit_profil_ind		
Description	id du profil gestionnaire	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 nov. 2015 14:30:44
	Last Modified	7 janv. 2016 16:06:57

id_comm	
Description	id de la commission
Type	int
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	10
Scale	0
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 nov. 2015 14:31:02
	Last Modified	7 janv. 2016 16:06:57

Relationships

gestionnaire_gestionnaire_commission_id_droit_profil_ind : Relationship		
From	 gestionnaire	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 nov. 2015 14:30:44
	Last Modified	1 mars 2016 12:52:06
commission_gestionnaire_commission_id_comm : Relationship		
From	 commission	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 nov. 2015 14:30:58
	Last Modified	1 mars 2016 12:52:06

type_traitement


Name	Value
Description	table des types de traitement

Data Model	Physical	
Mapped Class	 Type_traitement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 12:10:47
	Last Modified	1 mars 2016 12:52:06


Columns Summary

Name	DataType	Constraints	Nullable	Description
cod_typ_trait	varchar(2)	PK	No	code du type de traitement
lib_typ_trait	varchar(20)		No	libellé du type de traitement
tem_final_typ_trait	bit(1)		No	témoin pour les traitements finals
id_i18n_lib_typ_trait	int(10)	FK (i18n.id_i18n)	No	libellé internationalisé
dat_mod_typ_trait	datetime		Yes	date de modification

Columns

cod_typ_trait	
Description	code du type de traitement
Type	varchar
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	2
Scale	0
Id Generator	native
Attribute Model	 cod_typ_trait
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:10:58
	Last Modified	1 mars 2016 12:52:06

lib_typ_trait		
Description	libellé du type de traitement	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 lib_typ_trait	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:11:05
	Last Modified	1 mars 2016 12:52:06


tem_final_typ_trait		
Description	témoin pour les traitements finals	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_final_typ_trait	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 avr. 2015 14:19:34
	Last Modified	1 mars 2016 12:52:06


id_i18n_lib_typ_trait	
Description	libellé internationalisé
Type	int


Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 sept. 2015 15:04:56
	Last Modified	30 sept. 2015 16:08:40

dat_mod_typ_trait		
Description	date de modification	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_typ_trait	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 nov. 2015 10:01:44
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_formation_type_traitement_cod_typ_trait : Relationship		
To	 formation	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	

Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:05:05
	Last Modified	1 mars 2016 12:52:06
fk_candidature_type_traitement_cod_typ_trait : Relationship		
To	 candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:06:59
	Last Modified	1 mars 2016 12:52:06

fk_type_trait_i18n_id_i18n_lib_typ_trait : Relationship		
From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 sept. 2015 15:04:50
	Last Modified	1 mars 2016 12:52:06

load_balancing_reload_run


Name	Value
Description	table de besoin de reload de liste en cache
Data Model	Physical

Mapped Class	Load_balancing_reload_run	
Quality Score	Very Bad	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
	Model element without any relationship	Connect model element with relationship
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	13 janv. 2016 17:17:17
	Last Modified	1 mars 2016 12:52:06


Columns Summary

Name	Data Type	Constraints	Nullable	Description
dat_last_check_lb_reload_run	datetime	PK	No	deniere verification par instance
instance_id_lb_reload_run	varchar(20)	PK	No	id de l'instance

Columns

dat_last_check_lb_reload_run		
Description	deniere verification par instance	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	0	
Scale	0	
Id Generator	native	
Attribute Model	 dat_last_check_lb_reload_run	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 janv. 2016 17:19:50
	Last Modified	1 mars 2016 12:52:06

instance_id_lb_reload_run	
Description	id de l'instance
Type	varchar
Nullable	false

Unique	false	
Primary Key	true	
Index	false	
Length	20	
Scale	0	
Id Generator	native	
Attribute Model	 instance_id_lb_reload_run	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 janv. 2016 17:20:12
	Last Modified	1 mars 2016 12:52:06

alert_sva

Name	Value	
Description	table des couleurs d'alertes SVA	
Data Model	Physical	
Quality Score	Very Bad	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
	Model element without any relationship	Connect model element with relationship
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 juil. 2016 09:16:17
	Last Modified	5 juil. 2016 15:07:45

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_sva	int(11)	PK	No	identifiant alerte sva
nb_jour_sva	int(11)	Unique	No	nombre de jour sur laquelle l'alerte SVA aura effet
color_sva	varchar(20)		No	couleur de l'alerte (code hexa)
tes_sva	bit(1)		No	témoin en service

Columns

id_sva		
Description	identifiant alerte sva	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	11	
Scale	0	
Id Generator	native	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 juil. 2016 15:00:28
	Last Modified	5 juil. 2016 15:07:45

nb_jour_sva		
Description	nombre de jour sur laquelle l'alerte SVA aura effet	
Type	int	
Nullable	false	
Unique	true	
Primary Key	false	
Index	false	
Length	11	
Scale	0	
Id Generator	assigned	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 juil. 2016 09:16:44
	Last Modified	5 juil. 2016 15:07:45

color_sva	
Description	couleur de l'alerte (code hexa)
Type	varchar
Nullable	false
Unique	false
Primary Key	false

Index	false	
Length	20	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 juil. 2016 09:16:50
	Last Modified	5 juil. 2016 11:21:49

tes_sva		
Description	témoign en service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 juil. 2016 11:16:11
	Last Modified	5 juil. 2016 11:21:49

pj_form

Name	Value	
Description	table associative liant des pièces et des formations	
Data Model	Physical	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	29 janv. 2015 15:07:12
	Last Modified	1 mars 2016 12:33:42

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_pj	int(10)	PK/FK (piece_justif.id_pj)	No	identifiant de la pj
id_form	int(10)	PK/FK (formation.id_form)	No	identifiant de la formation


Columns

id_pj		
Description	identifiant de la pj	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:07:30
	Last Modified	29 janv. 2015 17:13:23


id_form		
Description	identifiant de la formation	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:07:39
	Last Modified	29 janv. 2015 17:13:23

Relationships

fk_pj_form_form_id_form : Relationship	
From	 formation

Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 16:14:54
	Last Modified	1 mars 2016 12:52:06
fk_pj_form_pj_id_pj : Relationship		
From	 piece_justif	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 16:15:17
	Last Modified	1 mars 2016 12:52:06

load_balancing_reload


Name	Value	
Description	table des éléments à recharger	
Data Model	Physical	
Mapped Class	 Load_balancing_reload	
Quality Score	Very Bad	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
	Model element without any relationship	Connect model element with relationship
Primary Key Clustered	Unspecified	

Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	13 janv. 2016 17:22:17
	Last Modified	1 mars 2016 12:52:06


Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_data_lb_reload	varchar(20)	PK	No	code de la donnée a recharger
dat_cre_lb_reload	datetime		No	date de création du chargement


Columns

cod_data_lb_reload		
Description	code de la donnée a recharger	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	20	
Scale	0	
Id Generator	native	
Attribute Model	 cod_data_lb_reload	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 janv. 2016 17:22:48
	Last Modified	1 mars 2016 12:52:06

dat_cre_lb_reload	
Description	date de création du chargement
Type	datetime
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	0
Scale	0

Attribute Model	 dat_cre_lb_reload	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 janv. 2016 17:23:45
	Last Modified	1 mars 2016 12:52:06

commission

Name	Value	
Description	table des commissions	
Data Model	Physical	
Mapped Class	 Commission	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	22 janv. 2015 11:33:10
	Last Modified	18 oct. 2016 17:16:22


Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_comm	int(10)	PK	No	identifiant de la commission
id_ctr_cand	int(10)	FK (centre_candidature.id_ctr_cand)	No	identifiant du centre de candidature de la commissio
cod_comm	varchar(30)	Unique	No	code de la commission
lib_comm	varchar(200)		No	libellé de la commission
mail_comm	varchar(80)		No	mail de contact de la commission
tel_comm	varchar(20)		Yes	telephone de contact de la commission

fax_comm	varchar(20)		Yes	fax de la commission
id_adr	int(10)	FK (adresse.id_adr)	No	identifiant de l'adresse
comment_retour_comm	varchar(500)		Yes	commentaire lors du retour de dossier pour la commission
tes_comm	bit(1)		No	temoin en service de la commission
signataire_comm	varchar(255)		Yes	signataire
id_fichier	int(10)	FK (fichier.id_fichier)	Yes	fichier de la signature
tem_edit_lettre_comm	bit(1)		No	témoin indiquant que la commission autorise l'edition des lettres d'admission et de refus
tem_mail_lettre_comm	bit(1)		No	témoin indiquant que la commission autorise l'envoi par mail des lettres d'admission et de refus
tem_alert_prop_comm	bit(1)		No	témoin indiquant que la commission reçoit les alertes de proposition
tem_alert_annul_comm	bit(1)		No	témoin indiquant que la commission reçoit les alertes d'annulation
tem_alert_trans_comm	bit(1)		No	témoin indiquant que la commission reçoit les alertes de


				transmission de dossier
dat_cre_comm	datetime		No	date de création
user_cre_comm	varchar(30)		No	user de création
dat_mod_comm	datetime		No	date de modification
user_mod_comm	varchar(30)		No	user de modification


Columns

id_comm		
Description	identifiant de la commission	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	identity	
Attribute Model	 id_comm	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:34:39
	Last Modified	1 mars 2016 12:52:06


id_ctr_cand	
Description	identifiant du centre de candidature de la commissio
Type	int
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	10
Scale	0
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 12:05:00
	Last Modified	27 janv. 2015 16:57:11


cod_comm		
Description	code de la commission	
Type	varchar	
Nullable	false	
Unique	true	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 cod_comm	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:34:49
	Last Modified	1 mars 2016 12:52:06

lib_comm		
Description	libellé de la commission	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	200	
Scale	0	
Attribute Model	 lib_comm	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:34:58
	Last Modified	1 mars 2016 12:52:06

mail_comm	
Description	mail de contact de la commission
Type	varchar


Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	80	
Scale	0	
Attribute Model	 mail_comm	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:38:50
	Last Modified	1 mars 2016 12:52:06

tel_comm		
Description	telephone de contact de la commission	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 tel_comm	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:38:53
	Last Modified	1 mars 2016 12:52:06


fax_comm	
Description	fax de la commission
Type	varchar
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	20
Scale	0
Attribute Model	 fax_comm
Generated	Unspecified

Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 10:39:57
	Last Modified	1 mars 2016 12:52:06

id_adr		
Description	identifiant de l'adresse	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:26:11
	Last Modified	19 févr. 2015 11:07:16

comment_retour_comm		
Description	commentaire lors du retour de dossier pour la commission	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	500	
Scale	0	
Attribute Model	 comment_retour_comm	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:12:59
	Last Modified	1 mars 2016 12:52:06

tes_comm	
Description	temoin en service de la commission
Type	bit

Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_comm	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:17:56
	Last Modified	1 mars 2016 12:52:06

signataire_comm		
Description	signataire	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	255	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 sept. 2016 16:44:59
	Last Modified	6 sept. 2016 09:56:45

id_fichier	
Description	fichier de la signature
Type	int
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	10
Scale	0
Generated	Unspecified
Sync To Attribute	Yes

Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 sept. 2016 16:44:02
	Last Modified	5 sept. 2016 16:46:02

tem_edit_lettre_comm		
Description	témoin indiquant que la commission autorise l'edition des lettres d'admission et de refus	
Default Value	0	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 sept. 2016 13:02:04
	Last Modified	6 sept. 2016 13:05:24

tem_mail_lettre_comm		
Description	témoin indiquant que la commission autorise l'envoi par mail des lettres d'admission et de refus	
Default Value	0	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 sept. 2016 11:17:43
	Last Modified	21 sept. 2016 11:28:24


tem_alert_prop_comm	
---------------------	--


Description	témoin indiquant que la commission reçoit les alertes de proposition	
Default Value	1	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 sept. 2016 16:14:29
	Last Modified	5 sept. 2016 16:17:58

tem_alert_annul_comm		
Description	témoin indiquant que la commission reçoit les alertes d'annulation	
Default Value	1	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 sept. 2016 16:15:20
	Last Modified	5 sept. 2016 16:17:58


tem_alert_trans_comm		
Description	témoin indiquant que la commission reçoit les alertes de transmission de dossier	
Default Value	1	
Type	bit	
Nullable	false	
Unique	false	


Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 sept. 2016 16:15:25
	Last Modified	5 sept. 2016 16:28:29

dat_cre_comm		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_comm	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_cre_comm		
Description	user de création	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_comm	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

dat_mod_comm		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_comm	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


user_mod_comm		
Description	user de modification	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_comm	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

Relationships


fk_commission_membre_commission_id_comm : Relationship	
To	 commission_membre

Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:40:19
	Last Modified	1 mars 2016 12:52:06


fk_formation_commission_id_comm : Relationship


To	 formation	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:28:39
	Last Modified	1 mars 2016 12:52:06


commission_gestionnaire_commission_id_comm : Relationship

To	 gestionnaire_commission	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 nov. 2015 14:30:58
	Last Modified	1 mars 2016 12:52:06


fk_commission_centre_candidature_id_ctr_cand : Relationship		
From	 centre_candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 12:06:00
	Last Modified	1 mars 2016 12:52:06

fk_commission_adresse_id_adr : Relationship		
From	 adresse	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:28:15
	Last Modified	1 mars 2016 12:52:06

fk_fichier_commission_id_fichier : Relationship		
From	 fichier	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	

Subtype	false	
To Multiplicity	0..1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 sept. 2016 16:43:54
	Last Modified	5 sept. 2016 16:46:02

compte_minima

Name	Value	
Description	table des comptes à minima	
Data Model	Physical	
Mapped Class	 Compte_minima	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	6 janv. 2015 15:05:19
	Last Modified	15 déc. 2016 11:08:34


Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_cpt_min	int(10)	PK	No	identifiant du compte à minima
id_camp	int(10)	FK (campagne.id_camp)	No	id de la campagne
mail_perso_cpt_min	varchar(80)		No	mail perso du compte à minima
nom_cpt_min	varchar(30)		No	nom du compte à minima
prenom_cpt_min	varchar(20)		No	prénom du compte à minima


num_dossier_opi_cpt_min	varchar(8)	Unique	No	identifiant du candidat : 6 caractères alphanumériques aléatoires en majuscule préfixés par deux lettres paramétrées au niveau de l'application
login_cpt_min	varchar(30)		Yes	login du candidat
pwd_cpt_min	varchar(150)		No	mot de passe du compte à minima
typ_gen_cpt_min	varchar(1)		No	type de hash utilisé
supann_etu_id_cpt_min	varchar(30)		Yes	etuld provenant du ldap
tem_valid_cpt_min	bit(1)		No	témoin de validité du compte à minima
tem_valid_mail_cpt_min	bit(1)		No	témoin de validité du mail du compte à minima
tem_fc_cpt_min	bit(1)		No	témoin FC
dat_fin_valid_cpt_min	datetime		No	date de fin de validite du compte a minima
dat_cre_cpt_min	datetime		No	date de création

Columns


id_cpt_min	
Description	identifiant du compte à minima
Type	int
Nullable	false
Unique	false
Primary Key	true
Index	false


Length	10	
Scale	0	
Id Generator	identity	
Attribute Model	 id_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 janv. 2015 15:28:55
	Last Modified	1 mars 2016 12:52:06

id_camp		
Description	id de la campagne	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	14 sept. 2015 14:06:23
	Last Modified	14 sept. 2015 14:12:27


mail_perso_cpt_min		
Description	mail perso du compte à minima	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	80	
Scale	0	
Attribute Model	 mail_perso_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 janv. 2015 15:26:25
	Last Modified	1 mars 2016 12:52:06

nom_cpt_min		
Description	nom du compte à minima	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 nom_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 janv. 2015 15:25:03
	Last Modified	21 juil. 2016 16:36:27


prenom_cpt_min		
Description	prénom du compte à minima	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 prenom_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 janv. 2015 15:26:07
	Last Modified	21 juil. 2016 16:36:27

num_dossier_opi_cpt_min	
-------------------------	--


Description	identifiant du candidat : 6 caractères alphanumériques aléatoires en majuscule préfixés par deux lettres paramétrées au niveau de l'application	
Type	varchar	
Nullable	false	
Unique	true	
Primary Key	false	
Index	false	
Length	8	
Scale	0	
Attribute Model	 num_dossier_opi_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:56:15
	Last Modified	1 mars 2016 12:52:06

login_cpt_min		
Description	login du candidat	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 login_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	15 avr. 2015 14:17:14
	Last Modified	1 mars 2016 12:52:06


pwd_cpt_min		
Description	mot de passe du compte à minima	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	


Length	150	
Scale	0	
Attribute Model	 pwd_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 janv. 2015 15:29:25
	Last Modified	15 déc. 2016 11:08:34

typ_gen_cpt_min		
Description	type de hash utilisé	
Default Value	P	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	14 déc. 2016 18:10:14
	Last Modified	14 déc. 2016 18:13:47

supann_etu_id_cpt_min		
Description	etuld provenant du ldap	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 supann_etu_id_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 juin 2015 14:30:05
	Last Modified	1 mars 2016 12:52:06


tem_valid_cpt_min		
Description	témoin de validité du compte à minima	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_valid_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 janv. 2015 16:22:42
	Last Modified	18 oct. 2016 17:17:43

tem_valid_mail_cpt_min		
Description	témoin de validité du mail du compte à minima	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_valid_mail_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 janv. 2015 16:22:42
	Last Modified	1 mars 2016 12:52:06

tem_fc_cpt_min	
Description	témoin FC
Type	bit



Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 août 2016 10:36:33
	Last Modified	25 août 2016 10:43:48

dat_fin_valid_cpt_min		
Description	date de fin de validite du compte a minima	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_fin_valid_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

dat_cre_cpt_min	
Description	date de création
Type	datetime
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	0
Scale	0
Attribute Model	 dat_cre_cpt_min
Generated	Unspecified
Sync To Attribute	Yes

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_compte_minima_candidat_id_cpt_min : Relationship		
To	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	15 avr. 2015 16:55:54
	Last Modified	1 mars 2016 12:52:06
fk_camp_cpt_min_id_camp : Relationship		
From	 campagne	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 14:36:30
	Last Modified	1 mars 2016 12:52:06

piece_justif

Name	Value
Description	table des pièces justificatives
Data Model	Physical


Mapped Class	Piece_justif	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	29 janv. 2015 15:02:25
	Last Modified	30 août 2016 10:04:43

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_pj	int(10)	PK	No	identifiant de la pièce justificative
cod_pj	varchar(20)	Unique	No	code de la pièce justificative
lib_pj	varchar(50)		No	libellé de la pj
tes_pj	bit(1)		No	témoin en service de la pièce justificative
id_i18n_lib_pj	int(10)	FK (i18n.id_i18n)	No	identifiant i18n du libellé de la pj
id_fichier	int(10)	FK (fichier.id_fichier)	Yes	fichier eventuel rattaché à la pièce
tem_commun_pj	bit(1)		No	témoin commun à toutes les formations de la pièce justificative
tem_unicite_pj	bit(1)		No	témoin pièce unique pour les pièces communes
tem_conditionnel_pj	bit(1)		No	témoin de pièce conditionnel de la pièce justificative


order_pj	int(10)		Yes	ordre d'affichage de la pièce
id_ctr_cand	int(10)	FK (centre_candidature.id_ctr_cand)	Yes	identifiant du centre de candidature éventuel
cod_apo_pj	varchar(50)		Yes	code apogée de la pièce
dat_cre_pj	datetime		No	date de création
user_cre_pj	varchar(30)		No	user de création
dat_mod_pj	datetime		No	date de modification
user_mod_pj	varchar(30)		No	user de modification


Columns

id_pj		
Description	identifiant de la pièce justificative	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_pj	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:02:36
	Last Modified	1 mars 2016 12:52:06

cod_pj	
Description	code de la pièce justificative
Type	varchar
Nullable	false
Unique	true
Primary Key	false

Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_pj	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:03:25
	Last Modified	1 mars 2016 12:52:06

lib_pj		
Description	libellé de la pj	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 lib_pj	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 mars 2015 15:06:34
	Last Modified	1 mars 2016 12:52:06


tes_pj		
Description	témoin en service de la pièce justificative	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_pj	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:03:41
	Last Modified	1 mars 2016 12:52:06


id_i18n_lib_pj		
Description	identifiant i18n du libellé de la pj	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:02:42
	Last Modified	29 janv. 2015 17:13:23

id_fichier		
Description	fichier eventuel rattaché à la pièce	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mars 2015 10:14:56
	Last Modified	30 sept. 2015 16:07:34

tem_commun_pj	
Description	témoin commun à toutes les formations de la pièce justificative
Type	bit
Nullable	false
Unique	false

Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_commun_pj	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:05:25
	Last Modified	1 mars 2016 12:52:06

tem_unicite_pj		
Description	témoin pièce unique pour les pieces communes	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	23 août 2016 10:45:12
	Last Modified	23 août 2016 10:53:08

tem_conditionnel_pj	
Description	témoin de pièce conditionnel de la pièce justificative
Type	bit
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	1
Scale	0
Attribute Model	 tem_conditionnel_pj
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:04:35
	Last Modified	1 mars 2016 12:52:06


order_pj		
Description	ordre d'affichage de la pièce	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 août 2016 09:54:50
	Last Modified	30 août 2016 10:04:43

id_ctr_cand		
Description	identifiant du centre de candidature éventuel	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:05:49
	Last Modified	29 janv. 2015 17:13:23


cod_apo_pj	
Description	code apogée de la pièce
Type	varchar
Nullable	true
Unique	false


Primary Key	false	
Index	false	
Length	50	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	23 août 2016 10:51:24
	Last Modified	23 août 2016 10:53:08

dat_cre_pj		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_pj	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_cre_pj		
Description	user de création	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_pj	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

dat_mod_pj		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_pj	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


user_mod_pj		
Description	user de modification	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_pj	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

Relationships


fk_pj_form_pj_id_pj : Relationship	
To	 pj_form


Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 16:15:17
	Last Modified	1 mars 2016 12:52:06


fk_pj_cand_pj_id_pj : Relationship

To	 pj_cand	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 17:37:02
	Last Modified	1 mars 2016 12:52:06

fk_piece_justif_ctr_cand_id_ctr_cand : Relationship

From	 centre_candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name		Value	
	Author	Kevin		
	Create Date Time	29 janv. 2015 15:06:18		
	Last Modified	1 mars 2016 12:52:06		
fk_piece_justif_i18n_id_i18n_lib_pj : Relationship				
From	 i18n			
Quality Score	Fair			
Quality Reason	Problem		Suggestion	
	Name does not contain glossary terms		Define name as term in glossary	
Identifying	false			
Subtype	false			
To Multiplicity	1			
From Multiplicity	1			
Sync To Association	Yes			
Data Model	Physical			
Project Management	Name		Value	
	Author	Kevin		
	Create Date Time	29 janv. 2015 15:57:00		
	Last Modified	1 mars 2016 12:52:06		

fk_fichier_piece_justif_id_fichier : Relationship				
From	 fichier			
Quality Score	Fair			
Quality Reason	Problem		Suggestion	
	Name does not contain glossary terms		Define name as term in glossary	
Identifying	false			
Subtype	false			
To Multiplicity	0..1			
From Multiplicity	0..1			
Sync To Association	Yes			
Data Model	Physical			
Project Management	Name		Value	
	Author	Kevin		
	Create Date Time	13 mars 2015 10:13:41		
	Last Modified	1 mars 2016 12:52:06		

fichier

Name	Value
Description	table des fichiers
Data Model	Physical


Mapped Class	Fichier	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	13 mars 2015 10:06:47
	Last Modified	5 sept. 2016 16:46:02


Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_fichier	int(10)	PK	No	identifiant du fichier
cod_fichier	varchar(50)		No	le code du fichier composé de son type de la pièce et de l'id de la pièce
nom_fichier	varchar(100)		No	le fichier lui même
file_fichier	varchar(1000)		No	le libellé du fichier
typ_fichier	char(1)		No	le type de fichier G = gestionnaire, C=candidat
typ_stockage_fichier	char(1)		No	type de stockage de fichier-->soit fileSystem soit cmis
auteur_fichier	varchar(50)		No	l'auteur du fichier
dat_cre_fichier	datetime		No	date de création

Columns


id_fichier	
Description	identifiant du fichier
Type	int
Nullable	false


Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_fichier	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mars 2015 10:10:36
	Last Modified	1 mars 2016 12:52:06

cod_fichier		
Description	le code du fichier composé de son type de la pièce et de l'id de la pièce	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 cod_fichier	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mars 2015 10:10:44
	Last Modified	1 mars 2016 12:52:06


nom_fichier	
Description	le fichier lui même
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	100
Scale	0
Attribute Model	 nom_fichier


Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mars 2015 10:11:01
	Last Modified	1 mars 2016 12:52:06

file_fichier		
Description	le libellé du fichier	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1000	
Scale	0	
Attribute Model	 file_fichier	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mars 2015 10:11:41
	Last Modified	7 juil. 2016 17:27:02


typ_fichier		
Description	le type de fichier G = gestionnaire, C=candidat	
Type	char	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 typ_fichier	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mars 2015 10:11:26
	Last Modified	1 mars 2016 12:52:06

typ_stockage_fichier



Description	type de stockage de fichier-->soit fileSystem soit cmis	
Type	char	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 typ_stockage_fichier	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mars 2015 12:26:10
	Last Modified	1 mars 2016 12:52:06

auteur_fichier		
Description	l'auteur du fichier	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 auteur_fichier	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mars 2015 10:16:45
	Last Modified	1 mars 2016 12:52:06


dat_cre_fichier		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	

Scale	0	
Attribute Model	 dat_cre_fichier	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


Relationships

fk_fichier_piece_justif_id_fichier : Relationship		
To	 piece_justif	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mars 2015 10:13:41
	Last Modified	1 mars 2016 12:52:06
fk_fichier_pj_cand_id_fichier : Relationship		
To	 pj_cand	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 juin 2015 11:16:40
	Last Modified	1 mars 2016 12:52:06

fk_fichier_commission_id_fichier : Relationship

To	 commission	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 sept. 2016 16:43:54
	Last Modified	5 sept. 2016 16:46:02

centre_candidature

Name	Value	
Description	table des centres de candidatures	
Data Model	Physical	
Mapped Class	 Centre_candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	22 janv. 2015 11:08:18
	Last Modified	18 oct. 2016 17:16:22


Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_ctr_cand	int(10)	PK	No	identifiant du centre de candidature
cod_ctr_cand	varchar(20)	Unique	No	code du centre de candidature
lib_ctr_cand	varchar(200)		No	libellé du centre de candidature


id_typ_dec_fav	int(10)	FK (type_decision.id_typ_dec)	No	L'avis favorable à envoyer, lors de la validation des types de traitements, aux formations en Accès direct
nb_max_voeux_ctr_cand	int(10)		No	nombre maximum de voeux pour ce centre de candidature
tem_demat_ctr_cand	bit(1)		No	si les pièces justificatives seront dématérialisées ou non pour toutes les formations du centre de candidature
tem_list_comp_ctr_cand	bit(1)		No	activation ou désactivation de la gestion automatique des listes complémentaires
id_typ_dec_fav_list_comp	int(10)	FK (type_decision.id_typ_dec)	Yes	avis favorable à envoyer pour la gestion auto des liste complémentaires
dat_deb_depot_ctr_cand	date		No	date de début de dépôt des voeux
dat_fin_depot_ctr_cand	date		No	date de fin de dépôt des voeux
dat_retour_ctr_cand	date		No	date limite de retour de dossier
dat_confirm_ctr_cand	date		Yes	date limite de confirmation
dat_publi_ctr_cand	date		Yes	date de publication des résultats


dat_jury_ctr_cand	date		Yes	date de jury
dat_analyse_ctr_cand	date		Yes	date de pré-analyse du dossier par défaut
info_comp_ctr_cand	varchar(500)		Yes	informations complémentaires par défaut pour les formations
tes_ctr_cand	bit(1)		No	témoin en service du centre de candidature
dat_cre_ctr_cand	datetime		No	date de création
user_cre_ctr_cand	varchar(30)		No	user de création
dat_mod_ctr_cand	datetime		No	date de modification
user_mod_ctr_cand	varchar(30)		No	user de modification
mail_contact_ctr_cand	varchar(80)		Yes	mail de contact du centre de candidature
tem_send_mail_ctr_cand	bit(1)		No	témoin pour indiquer que les gestionnaires recevront une copie des mails (BCC) envoyés aux candidats

Columns

id_ctr_cand	
Description	identifiant du centre de candidature
Type	int
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	10
Scale	0
Id Generator	identity
Attribute Model	 id_ctr_cand


Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:19:27
	Last Modified	1 mars 2016 12:52:06

cod_ctr_cand		
Description	code du centre de candidature	
Type	varchar	
Nullable	false	
Unique	true	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:33:53
	Last Modified	1 mars 2016 12:52:06


lib_ctr_cand		
Description	libellé du centre de candidature	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	200	
Scale	0	
Attribute Model	 lib_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:20:02
	Last Modified	1 mars 2016 12:52:06


id_typ_dec_fav		
----------------	--	--

Description	L'avis favorable à envoyer, lors de la validation des types de traitements, aux formations en Accès direct	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 14:22:01
	Last Modified	27 janv. 2015 16:57:11

nb_max_voeux_ctr_cand		
Description	nombre maximum de voeux pour ce centre de candidature	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Attribute Model	 nb_max_voeux_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:33
	Last Modified	1 mars 2016 12:52:06


tem_demat_ctr_cand		
Description	si les pièces justificatives seront dématérialisées ou non pour toutes les formations du centre de candidature	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	


Scale	0	
Attribute Model	 tem_demat_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:34
	Last Modified	1 mars 2016 12:52:06

tem_list_comp_ctr_cand		
Description	activation ou désactivation de la gestion automatique des listes complémentaires	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_list_comp_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:35
	Last Modified	1 mars 2016 12:52:06


id_typ_dec_fav_list_comp		
Description	avis favorable à envoyer pour la gestion auto des liste complémentaires	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 14:22:01
	Last Modified	21 avr. 2015 09:44:09


dat_deb_depot_ctr_cand		
Description	date de début de dépôt des voeux	
Type	date	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_deb_depot_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:36
	Last Modified	1 mars 2016 12:52:06

dat_fin_depot_ctr_cand		
Description	date de fin de dépôt des voeux	
Type	date	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_fin_depot_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:42
	Last Modified	1 mars 2016 12:52:06


dat_retour_ctr_cand	
Description	date limite de retour de dossier
Type	date


Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_retour_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:35:15
	Last Modified	1 mars 2016 12:52:06

dat_confirm_ctr_cand		
Description	date limite de confirmation	
Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_confirm_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:43
	Last Modified	1 mars 2016 12:52:06


dat_publi_ctr_cand	
Description	date de publication des résultats
Type	date
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	0
Scale	0
Attribute Model	 dat_publi_ctr_cand
Generated	Unspecified


Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:51
	Last Modified	1 mars 2016 12:52:06


dat_jury_ctr_cand		
Description	date de jury	
Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_jury_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:52
	Last Modified	1 mars 2016 12:52:06

dat_analyse_ctr_cand		
Description	date de pré-analyse du dossier par défaut	
Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_analyse_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 13:26:52
	Last Modified	1 mars 2016 12:52:06


info_comp_ctr_cand	
Description	informations complémentaires par défaut pour les formations


Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	500	
Scale	0	
Attribute Model	 info_comp_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:20:02
	Last Modified	1 mars 2016 12:52:06

tes_ctr_cand		
Description	témoin en service du centre de candidature	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:20:13
	Last Modified	1 mars 2016 12:52:06


dat_cre_ctr_cand	
Description	date de création
Type	datetime
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	0
Scale	0
Attribute Model	 dat_cre_ctr_cand

Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_cre_ctr_cand		
Description	user de création	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

dat_mod_ctr_cand		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_mod_ctr_cand		
-------------------	--	--




Description	user de modification	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_ctr_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

mail_contact_ctr_cand		
Description	mail de contact du centre de candidature	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	80	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	7 juil. 2016 17:17:39
	Last Modified	7 juil. 2016 17:44:30


tem_send_mail_ctr_cand	
Description	témoin pour indiquer que les gestionnaires recevront une copie des mails (BCC) envoyés aux candidats
Default Value	0
Type	bit
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	1


Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 juil. 2016 11:36:44
	Last Modified	18 oct. 2016 17:16:22


Relationships

fk_commission_centre_candidature_id_ctr_cand : Relationship		
To	 commission	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 12:06:00
	Last Modified	1 mars 2016 12:52:06
fk_piece_justif_ctr_cand_id_ctr_cand : Relationship		
To	 piece_justif	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:06:18
	Last Modified	1 mars 2016 12:52:06
fk_centre_candidature_gestionnaire_id_ctr_cand : Relationship		
To	 gestionnaire	


Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 févr. 2015 10:46:36
	Last Modified	1 mars 2016 12:52:06

fk_centre_candidature_formulaire_id_ctr_cand : Relationship		
To	 formulaire	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 mars 2015 09:26:01
	Last Modified	1 mars 2016 12:52:06

fk_centre_candidature_typ_decision_id_typ_dec_fav : Relationship		
From	 type_decision	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name		Value
	Author		Kevin
	Create Date Time		22 janv. 2015 16:02:49
	Last Modified		1 mars 2016 12:52:06
fk_centre_candidature_typ_decision_id_typ_dec_fav_list_comp : Relationship			
From	 type_decision		
Quality Score	Fair		
Quality Reason	Problem		Suggestion
	Name does not contain glossary terms		Define name as term in glossary
Identifying	false		
Subtype	false		
To Multiplicity	0..*		
From Multiplicity	0..1		
Sync To Association	Yes		
Data Model	Physical		
Project Management	Name		Value
	Author		Kevin
	Create Date Time		22 janv. 2015 16:03:54
	Last Modified		1 mars 2016 12:52:06

candidat_cursus_pro


Name	Value		
Description	table des cursus pro ou stage		
Data Model	Physical		
Mapped Class	 Candidat_cursus_pro		
Quality Score	Fair		
Quality Reason	Problem		Suggestion
	Name does not contain glossary terms		Define name as term in glossary
Records	N/A		
Primary Key Clustered	Unspecified		
Project Management	Name		Value
	Author		Kevin Hergalant
	Create Date Time		28 janv. 2015 18:01:41
	Last Modified		1 mars 2016 12:52:06

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_cursus_pro	int(10)	PK	No	identifiant du cursus


id_candidat	int(10)	FK (candidat.id_candidat)	No	identifiant du candidat
annee_cursus_pro	int(4)		No	année du cursus
duree_cursus_pro	varchar(20)		No	durée du cursus
organisme_cursus_pro	varchar(50)		No	organisme ou employeur du cursus
intitule_cursus_pro	varchar(50)		No	intitulé du cursus
objectif_cursus_pro	varchar(500)		Yes	descriptif du cursus


Columns

id_cursus_pro		
Description	identifiant du cursus	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_cursus_pro	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:02:47
	Last Modified	1 mars 2016 12:52:06


id_candidat	
Description	identifiant du candidat
Type	int
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	10
Scale	0


Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:07:24
	Last Modified	29 janv. 2015 12:23:20

annee_cursus_pro		
Description	année du curusus	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	4	
Scale	0	
Attribute Model	 annee_cursus_pro	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:03:09
	Last Modified	1 mars 2016 12:52:06


duree_cursus_pro		
Description	durée du curusus	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 duree_cursus_pro	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:03:28
	Last Modified	1 mars 2016 12:52:06

organisme_cursus_pro		
----------------------	--	--


Description	organisme ou employeur du cursus	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 organisme_cursus_pro	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:04:15
	Last Modified	1 mars 2016 12:52:06

intitule_cursus_pro		
Description	intitulé du cursus	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 intitule_cursus_pro	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:05:04
	Last Modified	1 mars 2016 12:52:06


objectif_cursus_pro		
Description	descriptif du cursus	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	500	

Scale	0	
Attribute Model	 objectif_cursus_pro	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:05:51
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_cursus_pro_candidat_id_candidat : Relationship		
From	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:07:41
	Last Modified	1 mars 2016 12:52:06


candidat_stage

Name	Value	
Description	table des stages d'un candidat	
Data Model	Physical	
Mapped Class	 Candidat_stage	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 mai 2015 17:09:07
	Last Modified	1 mars 2016 12:52:06

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_stage	int(10)	PK	No	identifiant du stage
id_candidat	int(10)	FK (candidat.id_candidat)	No	identifiant du candidat
annee_stage	int(4)		No	année du stage
duree_stage	varchar(20)		No	durée du stage
organisme_stage	varchar(50)		No	organisme ou employeur du stage
descriptif_stage	varchar(500)		No	descriptif du stage
nb_h_sem_stage	int(3)		Yes	nb d'heure / semaine du stage


Columns

id_stage									
Description	identifiant du stage								
Type	int								
Nullable	false								
Unique	false								
Primary Key	true								
Index	false								
Length	10								
Scale	0								
Id Generator	native								
Attribute Model	 id_stage								
Generated	Unspecified								
Sync To Attribute	Yes								
Project Management	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Author</td> <td>Kevin</td> </tr> <tr> <td>Create Date Time</td> <td>28 mai 2015 17:12:26</td> </tr> <tr> <td>Last Modified</td> <td>1 mars 2016 12:52:06</td> </tr> </tbody> </table>	Name	Value	Author	Kevin	Create Date Time	28 mai 2015 17:12:26	Last Modified	1 mars 2016 12:52:06
	Name	Value							
	Author	Kevin							
	Create Date Time	28 mai 2015 17:12:26							
Last Modified	1 mars 2016 12:52:06								


id_candidat	
Description	identifiant du candidat
Type	int
Nullable	false


Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:07:24
	Last Modified	28 mai 2015 17:14:58

annee_stage		
Description	année du stage	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	4	
Scale	0	
Attribute Model	 annee_stage	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:03:09
	Last Modified	1 mars 2016 12:52:06


duree_stage		
Description	durée du stage	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 duree_stage	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:03:28
	Last Modified	1 mars 2016 12:52:06


organisme_stage		
Description	organisme ou employeur du stage	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 organisme_stage	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:04:15
	Last Modified	1 mars 2016 12:52:06

descriptif_stage		
Description	descriptif du stage	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	500	
Scale	0	
Attribute Model	 descriptif_stage	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:05:51
	Last Modified	1 mars 2016 12:52:06


nb_h_sem_stage	
Description	nb d'heure / semaine du stage
Type	int

Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	3	
Scale	0	
Attribute Model	 nb_h_sem_stage	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:06:39
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_candidat_stage_candidat_id_candidat : Relationship		
From	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 mai 2015 17:13:01
	Last Modified	1 mars 2016 12:52:06

candidature

Name	Value	
Description	table des candidatures	
Data Model	Physical	
Mapped Class	 Candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	

Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 13:51:46
	Last Modified	20 juil. 2016 16:59:45


Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_cand	int(10)	PK	No	identifiant de la candidature
id_form	int(10)	FK (formation.id_form)	No	identifiant de la formation de la candidature
id_candidat	int(10)	FK (candidat.id_candidat)	No	identifiant du candidat de la candidature
cod_typ_trait	varchar(2)	FK (type_traitement.cod_typ_trait)	No	type de traitement de la candidature
tem_valid_typ_trait_cand	bit(1)		No	témoin indiquant que le type de traitement a été validé pour la candidature
cod_typ_statut	varchar(2)	FK (type_statut.cod_typ_statut)	No	code du statut du dossier de la candidature
tem_proposition_cand	bit(1)		No	témoin indiquant que la candidature est une proposition
dat_cre_cand	datetime		No	date de création
user_cre_cand	varchar(30)		No	user de création
dat_mod_cand	datetime		No	date de modification
user_mod_cand	varchar(30)		No	user de modification
dat_annul_cand	datetime		Yes	date d'annulation de la candidature
user_annul_cand	varchar(20)		Yes	login d'annulation de

				la candidature (si null, c'est le candidat qui a supprimé)
tem_accept_cand	bit(1)		Yes	temoin si la candidature est asseeptee : null- >pas encore de choix, 0- >refusé, 1- >acceptee
dat_accept_cand	datetime		Yes	date d'acceptation ou de refus de la candidature
user_accept_cand	varchar(20)		Yes	login d'acceptation ou de refus de la candidature
dat_mod_typ_statut_cand	datetime		Yes	date de modif du statut du dossier
dat_trans_dossier_cand	datetime		Yes	date de transmission du dossier
dat_recept_dossier_cand	date		Yes	date de réception du dossier
dat_complet_dossier_cand	date		Yes	date changement statut dossier à complet
dat_incomplet_dossier_cand	date		Yes	date changement statut dossier à incomplet

Columns


id_cand	
Description	identifiant de la candidature
Type	int
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	10

Scale	0	
Id Generator	native	
Attribute Model	 id_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:51:57
	Last Modified	1 mars 2016 12:52:06

id_form		
Description	identifiant de la formation de la candidature	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:52:00
	Last Modified	1 déc. 2015 16:46:24


id_candidat		
Description	identifiant du candidat de la candidature	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:52:06
	Last Modified	1 déc. 2015 16:46:24


cod_typ_trait		
Description	type de traitement de la candidature	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	2	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:06:31
	Last Modified	29 janv. 2015 10:13:55


tem_valid_typ_trait_cand		
Description	témoin indiquant que le type de traitement a été validé pour la candidature	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_valid_typ_trait_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 12:04:12
	Last Modified	1 mars 2016 12:52:06


cod_typ_statut	
Description	code du statut du dossier de la candidature
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	2

Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:14:46
	Last Modified	29 janv. 2015 12:17:54


tem_proposition_cand		
Description	témoin indiquant que la candidature est une proposition	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_proposition_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:43:22
	Last Modified	1 mars 2016 12:52:06


dat_cre_cand		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


user_cre_cand		
Description	user de création	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

dat_mod_cand		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


user_mod_cand		
Description	user de modification	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	


Length	30	
Scale	0	
Attribute Model	 user_mod_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

dat_annul_cand		
Description	date d'annulation de la candidature	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_annul_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:55:40
	Last Modified	1 mars 2016 12:52:06


user_annul_cand	
Description	login d'annulation de la candidature (si null, c'est le candidat qui a supprimé)
Type	varchar
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	20
Scale	0
Attribute Model	 user_annul_cand
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:55:49
	Last Modified	1 mars 2016 12:52:06


tem_accept_cand		
Description	temoin si la candidature est asseptee : null->pas encore de choix, 0->refusé, 1->acceptee	
Type	bit	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_accept_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	31 août 2015 14:49:13
	Last Modified	1 mars 2016 12:52:06

dat_accept_cand		
Description	date d'acceptation ou de refus de la candidature	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_accept_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:55:40
	Last Modified	1 mars 2016 12:52:06


user_accept_cand	
Description	login d'acceptation ou de refus de la candidature


Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 user_accept_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:55:49
	Last Modified	1 mars 2016 12:52:06

dat_mod_typ_statut_cand		
Description	date de modif du statut du dossier	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_typ_statut_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:55:40
	Last Modified	1 mars 2016 12:52:06


dat_trans_dossier_cand		
Description	date de transmission du dossier	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_trans_dossier_cand	

Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:55:40
	Last Modified	1 mars 2016 12:52:06



dat_recept_dossier_cand		
Description	date de réception du dossier	
Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_recept_dossier_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:55:40
	Last Modified	1 mars 2016 12:52:06

dat_complet_dossier_cand		
Description	date changement statut dossier à complet	
Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_complet_dossier_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:55:40
	Last Modified	1 mars 2016 12:52:06


dat_incomplet_dossier_cand		
----------------------------	--	--


Description	date changement statut dossier à incomplet	
Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_incomplet_dossier_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:55:40
	Last Modified	1 mars 2016 12:52:06


Relationships

fk_typ_dec_cand_candidature_id_cand : Relationship		
To	 type_decision_candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 12:09:11
	Last Modified	1 mars 2016 12:52:06
fk_cand_pj_form_cand_pk : Relationship		
To	 pj_cand	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	


Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 16:13:12
	Last Modified	1 mars 2016 12:52:06


fk_formulaire_cand_candidature_id_cand : Relationship		
To	 formulaire_cand	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 16:17:21
	Last Modified	1 mars 2016 12:52:06

fk_cand_opi_id_cand : Relationship		
To	 opi	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 févr. 2015 13:30:01
	Last Modified	1 mars 2016 12:52:06


fk_candidature_post_it_id_candidature : Relationship		
To	 post_it	
Quality Score	Fair	


Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 juil. 2016 16:57:20
	Last Modified	21 juil. 2016 09:46:04

fk_candidature_formation_id_form : Relationship		
From	 formation	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:16:11
	Last Modified	1 mars 2016 12:52:06

fk_candidature_candidat_id_candidat : Relationship		
From	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:17:08
	Last Modified	1 mars 2016 12:52:06

fk_candidature_type_traitement_cod_typ_trait : Relationship		
From	 type_traitement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:06:59
	Last Modified	1 mars 2016 12:52:06

fk_candidature_type_statut_cod_typ_statut : Relationship		
From	 type_statut	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:15:20
	Last Modified	1 mars 2016 12:52:06

adresse

Name	Value
Description	table des adresses
Data Model	Physical


Mapped Class	Adresse	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 12:21:24
	Last Modified	1 mars 2016 12:52:06

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_adr	int(10)	PK	No	identifiant de l'adresse
cod_pay	varchar(3)	FK (siscol_pays.cod_pay)	No	code du pays de l'adresse
cod_bdi_adr	varchar(5)		Yes	code postal de l'adresse (fr)
cod_com	varchar(5)	FK (siscol_commune.cod_com)	Yes	code commune de l'adresse (fr)
lib_com_etr_adr	varchar(32)		Yes	libellé de la commune du candidat
adr1_adr	varchar(32)		Yes	libellé 1 de l'adresse
adr2_adr	varchar(32)		Yes	libellé 2 de l'adresse
adr3_adr	varchar(32)		Yes	libellé 3 de l'adresse
cedex_adr	varchar(50)		Yes	cedex de l'adresse

Columns

id_adr	
Description	identifiant de l'adresse
Type	int
Nullable	false
Unique	false
Primary Key	true
Index	false


Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_adr	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:23:06
	Last Modified	1 mars 2016 12:52:06

cod_pay		
Description	code du pays de l'adresse	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:43:12
	Last Modified	28 janv. 2015 16:47:11


cod_bdi_adr		
Description	code postal de l'adresse (fr)	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	5	
Scale	0	
Attribute Model	 cod_bdi_adr	
Generated	Unspecified	
Sync To Attribute	Yes	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:46:19
	Last Modified	1 mars 2016 12:52:06


cod_com		
Description	code commune de l'adresse (fr)	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	5	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:46:14
	Last Modified	28 janv. 2015 16:47:11

lib_com_etr_adr		
Description	libellé de la commune du candidat	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	32	
Scale	0	
Attribute Model	 lib_com_etr_adr	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:46:16
	Last Modified	1 mars 2016 12:52:06


adr1_adr	
Description	libellé 1 de l'adresse
Type	varchar

Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	32	
Scale	0	
Attribute Model	 adr1_adr	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:46:22
	Last Modified	1 mars 2016 12:52:06



adr2_adr		
Description	libellé 2 de l'adresse	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	32	
Scale	0	
Attribute Model	 adr2_adr	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:48:19
	Last Modified	1 mars 2016 12:52:06

adr3_adr	
Description	libellé 3 de l'adresse
Type	varchar
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	32
Scale	0
Attribute Model	 adr3_adr
Generated	Unspecified


Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:48:21
	Last Modified	1 mars 2016 12:52:06


cedex_adr		
Description	cedex de l'adresse	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 cedex_adr	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	4 janv. 2016 14:54:22
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_candidat_adresse_id_adr : Relationship		
To	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:26:28
	Last Modified	1 mars 2016 12:52:06
fk_commission_adresse_id_adr : Relationship		
To	 commission	

Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:28:15
	Last Modified	1 mars 2016 12:52:06

fk_adresse_sicol_pays_cod_pay : Relationship		
From	 sicol_pays	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:09:08
	Last Modified	1 mars 2016 12:52:06

fk_adresse_sicol_commune_cod_com : Relationship		
From	 sicol_commune	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:10:15
	Last Modified	1 mars 2016 12:52:06

post_it

Name	Value	
Description	table des post-it	
Data Model	Physical	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 juil. 2016 16:54:54
	Last Modified	18 oct. 2016 17:20:40

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_post_it	int(10)	PK	No	identifiant du post-it
user_post_it	varchar(255)		No	login de la personne ayant réalisé le post-it
id_cand	int(10)	FK (candidature.id_cand)	No	identifiant de la candidature
message_post_it	varchar(255)		No	message du post-it
dat_cre_post_it	datetime		No	date de création du post-it

Columns

id_post_it	
Description	identifiant du post-it
Type	int
Nullable	false
Unique	false
Primary Key	true

Index	false	
Length	10	
Scale	0	
Id Generator	native	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 juil. 2016 16:55:18
	Last Modified	20 juil. 2016 17:01:12

user_post_it		
Description	login de la personne ayant réalisé le post-it	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	255	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 juil. 2016 16:55:25
	Last Modified	18 oct. 2016 17:20:40


id_cand		
Description	identifiant de la candidature	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 juil. 2016 16:57:28
	Last Modified	20 juil. 2016 16:59:45

message_post_it		
Description	message du post-it	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	255	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 juil. 2016 16:57:40
	Last Modified	20 juil. 2016 17:01:12


dat_cre_post_it		
Description	date de création du post-it	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 juil. 2016 17:00:37
	Last Modified	20 juil. 2016 17:03:51

Relationships

fk_candidature_post_it_id_candidature : Relationship	
From	 candidature
Quality Score	Fair

Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 juil. 2016 16:57:20
	Last Modified	21 juil. 2016 09:46:04

campagne

Name	Value	
Description	table des campagne de candidature	
Data Model	Physical	
Mapped Class	 Campagne	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	3 févr. 2015 13:40:54
	Last Modified	30 nov. 2016 17:48:36


Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_camp	int(10)	PK	No	id de la campagne
cod_camp	varchar(20)	Unique	No	code de la campagne
lib_camp	varchar(50)		No	libellé de la campagne
id_i18n_libelle_campagne	int(10)	FK (i18n.id_i18n)	Yes	libellé campagne internationalisé
dat_deb_camp	date		No	date début de la campagne

dat_fin_camp	date		No	date fin de la campagne
tes_camp	bit(1)		No	temoin en service de la campagne
dat_activat_prev_camp	datetime		Yes	date time d'activation prévisionnel
dat_activat_effec_camp	datetime		Yes	date time d'activation effectif
dat_archiv_camp	datetime		Yes	date d'archivage effectif
dat_destruct_effec_camp	datetime		Yes	date time de destruction des dossier effectif
archiv_id_camp	int(10)	FK (campagne.id_camp)	Yes	code de la campagne lié --> archivage/ activation

Columns


id_camp		
Description	id de la campagne	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	identity	
Attribute Model	 id_camp	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	14 sept. 2015 14:05:34
	Last Modified	1 mars 2016 12:52:06
cod_camp		
Description	code de la campagne	

Type	varchar	
Nullable	false	
Unique	true	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_camp	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 13:56:09
	Last Modified	1 mars 2016 12:52:06

lib_camp		
Description	libellé de la campagne	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 lib_camp	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 13:55:09
	Last Modified	1 mars 2016 12:52:06


id_i18n_libelle_campagne	
Description	libellé campagne internationalisé
Type	int
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	10
Scale	0
Generated	Unspecified


Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 nov. 2016 11:59:54
	Last Modified	30 nov. 2016 17:48:36


dat_deb_camp		
Description	date début de la campagne	
Type	date	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_deb_camp	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 13:55:16
	Last Modified	1 mars 2016 12:52:06

dat_fin_camp		
Description	date fin de la campagne	
Type	date	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_fin_camp	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 13:55:28
	Last Modified	1 mars 2016 12:52:06


tes_camp	
Description	temoin en service de la campagne


Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_camp	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 13:55:36
	Last Modified	1 mars 2016 12:52:06

dat_activat_prev_camp		
Description	date time d'activation prévisionnel	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_activat_prev_camp	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 mars 2015 09:17:45
	Last Modified	1 mars 2016 12:52:06

dat_activat_effec_camp	
Description	date time d'activation effectif
Type	datetime
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	0
Scale	0
Attribute Model	 dat_activat_effec_camp

Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 mars 2015 09:17:45
	Last Modified	1 mars 2016 12:52:06



dat_archiv_camp		
Description	date d'archivage effectif	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_archiv_camp	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 mars 2015 09:17:16
	Last Modified	1 mars 2016 12:52:06

dat_destruct_effec_camp		
Description	date time de destruction des dossier effectif	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_destruct_effec_camp	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 mars 2015 09:17:45
	Last Modified	1 mars 2016 12:52:06


archiv_id_camp

Description	code de la campagne lié --> archivage/activation	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	14 sept. 2015 10:53:54
	Last Modified	14 sept. 2015 14:46:09


Relationships

fk_campcpt_min_id_camp : Relationship		
To	 compte_minima	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 14:36:30
	Last Modified	1 mars 2016 12:52:06
campagne_id_camp_id_camp : Relationship		
To	 campagne	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	

Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	14 sept. 2015 10:53:47
	Last Modified	1 mars 2016 12:52:06

fk_campagne_i18n_id_i18n_id_i18n_libelle_campagne : Relationship		
From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 nov. 2016 11:59:50
	Last Modified	30 nov. 2016 12:19:54

type_decision


Name	Value	
Description	table des types de décision	
Data Model	Physical	
Mapped Class	 Type_decision	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	22 janv. 2015 15:13:12
	Last Modified	2 nov. 2016 15:46:21

Columns Summary

Name	Data Type	Constraints	Nullable	Description
------	-----------	-------------	----------	-------------


id_typ_dec	int(10)	PK	No	identifiant du type de decision
cod_typ_avis	varchar(2)	FK (type_avis.cod_typ_avis)	No	type_d'avis correspondant au type de décision
cod_typ_dec	varchar(20)	Unique	No	code du type de decision
lib_typ_dec	varchar(50)		No	libellé type de decision
id_i18n_lib_typ_dec	int(10)	FK (i18n.id_i18n)	No	identifiant i18n du libellé du type de décision
id_mail	int(10)	FK (mail.id_mail)	No	id mail du type de decision
tes_typ_dec	bit(1)		No	temoin en service du type de decision
tem_deverse_opi_typ_dec	bit(1)		No	temoin de deversement d'opi pour ce type de decision
tem_definitif_typ_dec	bit(1)		No	temoin pour indiquer si le type de decision est définitif
tem_model_typ_dec	bit(1)		No	témoi si le type de decision est un modele
tem_aff_comment_typ_dec	bit(1)		No	témoin si le commentaire s'affiche pour le candidat
dat_cre_typ_dec	datetime		No	date de création
user_cre_typ_dec	varchar(30)		No	user de création
dat_mod_typ_dec	datetime		No	date de modification
user_mod_typ_dec	varchar(30)		No	user de modification


Columns

id_typ_dec		
Description	identifiant du type de decision	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_typ_dec	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 15:13:20
	Last Modified	1 mars 2016 12:52:06

cod_typ_avis		
Description	type_d'avis correspondant au type de décision	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	2	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 15:56:32
	Last Modified	19 févr. 2015 10:17:39

cod_typ_dec	
Description	code du type de decision
Type	varchar
Nullable	false
Unique	true
Primary Key	false


Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_typ_dec	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 15:13:25
	Last Modified	1 mars 2016 12:52:06

lib_typ_dec		
Description	libellé type de decision	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 lib_typ_dec	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	2 mars 2015 11:52:26
	Last Modified	2 nov. 2016 15:46:21


id_i18n_lib_typ_dec	
Description	identifiant i18n du libellé du type de décision
Type	int
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	10
Scale	0
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	27 janv. 2015 15:33:17
	Last Modified	28 janv. 2015 11:45:54


id_mail		
Description	id mail du type de decision	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 15:13:29
	Last Modified	28 janv. 2015 10:40:57

tes_typ_dec		
Description	temoin en service du type de decision	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_typ_dec	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 15:15:38
	Last Modified	1 mars 2016 12:52:06

tem_deverse_opi_typ_dec	
Description	temoin de deversement d'opi pour ce type de decision
Type	bit
Nullable	false


Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_deverse_opi_typ_dec	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 15:13:31
	Last Modified	1 mars 2016 12:52:06

tem_definitif_typ_dec		
Description	temoin pour indiquer si le type de decision est définitif	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_definitif_typ_dec	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 15:15:33
	Last Modified	1 mars 2016 12:52:06


tem_model_typ_dec	
Description	témoi si le type de decision est un modele
Type	bit
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	1
Scale	0
Attribute Model	 tem_model_typ_dec
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	19 févr. 2015 09:51:04
	Last Modified	1 mars 2016 12:52:06


tem_aff_comment_typ_dec		
Description	témoin si le commentaire s'affiche pour le candidat	
Default Value	1	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 sept. 2016 11:27:51
	Last Modified	5 sept. 2016 11:37:44

dat_cre_typ_dec		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_typ_dec	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_cre_typ_dec	
Description	user de création
Type	varchar




Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_typ_dec	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

dat_mod_typ_dec		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_typ_dec	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


user_mod_typ_dec		
Description	user de modification	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_typ_dec	
Generated	Unspecified	


Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_centre_candidature_typ_decision_id_typ_dec_fav : Relationship		
To	 centre_candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:02:49
	Last Modified	1 mars 2016 12:52:06
fk_centre_candidature_typ_decision_id_typ_dec_fav_list_comp : Relationship		
To	 centre_candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:03:54
	Last Modified	1 mars 2016 12:52:06
fk_formation_type_decision_id_typ_dec_fav_list_comp : Relationship		
To	 formation	
Quality Score	Fair	

Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:24:40
	Last Modified	1 mars 2016 12:52:06

fk_formation_type_decision_id_typ_dec_fav_form : Relationship		
To	 formation	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 17:09:04
	Last Modified	1 mars 2016 12:52:06

fk_typ_dec_cand_typ_dec_id_typ_dec : Relationship		
To	 type_decision_candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 12:08:36
	Last Modified	1 mars 2016 12:52:06


fktype_decision_type_avis_cod_typ_avis : Relationship		
From	type_avis	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:01:05
	Last Modified	1 mars 2016 12:52:06

fk_type_decision_mail_id_mail : Relationship		
From	mail	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:17:58
	Last Modified	21 juil. 2016 12:33:57

fk_type_decision_i18n_id_i18n_lib_typ_dec : Relationship		
From	i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	

Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	27 janv. 2015 15:33:58
	Last Modified	1 mars 2016 12:52:06

type_avis


Name	Value	
Description	table des types d'avis	
Data Model	Physical	
Mapped Class	 Type_avis	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	22 janv. 2015 14:54:06
	Last Modified	1 mars 2016 12:52:06


Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_typ_avis	varchar(2)	PK	No	code du type d'avis
libelle_typ_avis	varchar(20)		No	libelle du type d'avis


Columns


cod_typ_avis	
Description	code du type d'avis
Type	varchar
Nullable	false
Unique	false
Primary Key	true
Index	false

Length	2	
Scale	0	
Id Generator	native	
Attribute Model	 cod_typ_avis	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 14:54:25
	Last Modified	1 mars 2016 12:52:06


libelle_typ_avis		
Description	libelle du type d'avis	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 libelle_typ_avis	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 14:54:27
	Last Modified	1 mars 2016 12:52:06

Relationships

fktype_decision_type_avis_cod_typ_avis : Relationship		
To	 type_decision	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name		Value
	Author	Kevin	
	Create Date Time	22 janv. 2015 16:01:05	
	Last Modified	1 mars 2016 12:52:06	
fk_mail_type_avis_cod_typ_avis : Relationship			
To	 mail		
Quality Score	Fair		
Quality Reason	Problem		Suggestion
	Name does not contain glossary terms		Define name as term in glossary
Identifying	false		
Subtype	false		
To Multiplicity	0..*		
From Multiplicity	0..1		
Sync To Association	Yes		
Data Model	Physical		
Project Management	Name		Value
	Author	Kevin	
	Create Date Time	22 janv. 2015 16:20:13	
	Last Modified	21 juil. 2016 12:33:57	

type_statut


Name	Value		
Description	table des type de statut du dossier de candidature		
Data Model	Physical		
Mapped Class	 Type_statut		
Quality Score	Fair		
Quality Reason	Problem		Suggestion
	Name does not contain glossary terms		Define name as term in glossary
Records	N/A		
Primary Key Clustered	Unspecified		
Project Management	Name		Value
	Author	Kevin Hergalant	
	Create Date Time	29 janv. 2015 10:07:46	
	Last Modified	1 mars 2016 12:52:06	


Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_typ_statut	varchar(2)	PK	No	code du type de statut

lib_typ_statut	varchar(20)		No	libellé du type de statut
id_i18n_lib_typ_statut	int(10)	FK (i18n.id_i18n)	No	idi18n de traduction de statut d'un dossier
dat_mod_typ_statut	datetime		Yes	date de modification


Columns

cod_typ_statut									
Description	code du type de statut								
Type	varchar								
Nullable	false								
Unique	false								
Primary Key	true								
Index	false								
Length	2								
Scale	0								
Id Generator	native								
Attribute Model	 cod_typ_statut								
Generated	Unspecified								
Sync To Attribute	Yes								
Project Management	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Author</td> <td>Kevin</td> </tr> <tr> <td>Create Date Time</td> <td>29 janv. 2015 10:11:51</td> </tr> <tr> <td>Last Modified</td> <td>1 mars 2016 12:52:06</td> </tr> </tbody> </table>	Name	Value	Author	Kevin	Create Date Time	29 janv. 2015 10:11:51	Last Modified	1 mars 2016 12:52:06
	Name	Value							
	Author	Kevin							
	Create Date Time	29 janv. 2015 10:11:51							
Last Modified	1 mars 2016 12:52:06								


lib_typ_statut	
Description	libellé du type de statut
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	20
Scale	0
Attribute Model	 lib_typ_statut
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:13:05
	Last Modified	1 mars 2016 12:52:06

id_i18n_lib_typ_statut		
Description	idi18n de traduction de statut d'un dossier	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	11 juin 2015 10:48:57
	Last Modified	11 juin 2015 10:55:12


dat_mod_typ_statut		
Description	date de modification	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_typ_statut	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 nov. 2015 10:01:44
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_candidature_type_statut_cod_typ_statut : Relationship	
To	 candidature
Quality Score	Fair

Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:15:20
	Last Modified	1 mars 2016 12:52:06
fk_type_statut_i18n_id_i18n_lib_typ_statut : Relationship		
From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	11 juin 2015 10:48:53
	Last Modified	1 mars 2016 12:52:06

candidat

Name	Value	
Description	table des candidats	
Data Model	Physical	
Mapped Class	 Candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	


Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	6 janv. 2015 15:28:06
	Last Modified	25 oct. 2016 15:44:59

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_candidat	int(10)	PK	No	identifiant du candidat
cod_civ	varchar(4)	FK (civilite.cod_civ)	No	code de la civilite
nom_pat_candidat	varchar(30)		No	nom patronymique du candidat
nom_usu_candidat	varchar(30)		Yes	nom usuel du candidat
prenom_candidat	varchar(20)		No	prénom du candidat
autre_pren_candidat	varchar(20)		Yes	autre prénom du candidat
dat_naiss_candidat	date		No	date naissance du candidat
cod_pay_nat	varchar(3)	FK (siscol_pays.cod_pay)	No	nationalité du candidat
ine_candidat	varchar(10)		Yes	INE du candidat
cle_ine_candidat	varchar(1)		Yes	INE du candidat
cod_pay_naiss	varchar(3)	FK (siscol_pays.cod_pay)	No	code Apogee pays de naissance du candidat
cod_dep_naiss_candidat	varchar(3)	FK (siscol_departement.cod_dep)	Yes	code Apogee departement de naissance candidat
lib_ville_naiss_candidat	varchar(30)		No	ville de naissance du candidat
id_adr	int(10)	FK (adresse.id_adr)	Yes	identifiant de l'adresse
tel_candidat	varchar(20)		Yes	numéro de téléphone du candidat


tel_port_candidat	varchar(20)		Yes	numéro de téléphone portable du candidat
cod_langue	varchar(5)	FK (langue.cod_langue)	No	code langue
id_cpt_min	int(10)	FK (compte_minima.id_cpt_min); Unique	No	id du compte a minima
tem_updatable_candidat	bit(1)		No	temoin indiquant que les données proviennent d'apogee


Columns

id_candidat									
Description	identifiant du candidat								
Type	int								
Nullable	false								
Unique	false								
Primary Key	true								
Index	false								
Length	10								
Scale	0								
Id Generator	identity								
Attribute Model	 id_candidat								
Generated	Unspecified								
Sync To Attribute	Yes								
Project Management	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Author</td> <td>Kevin</td> </tr> <tr> <td>Create Date Time</td> <td>6 janv. 2015 15:54:31</td> </tr> <tr> <td>Last Modified</td> <td>1 mars 2016 12:52:06</td> </tr> </tbody> </table>	Name	Value	Author	Kevin	Create Date Time	6 janv. 2015 15:54:31	Last Modified	1 mars 2016 12:52:06
	Name	Value							
	Author	Kevin							
	Create Date Time	6 janv. 2015 15:54:31							
Last Modified	1 mars 2016 12:52:06								


cod_civ	
Description	code de la civilite
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	4
Scale	0
Generated	Unspecified


Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 mai 2015 17:11:28
	Last Modified	5 mai 2015 17:18:50


nom_pat_candidat		
Description	nom patronymique du candidat	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 nom_pat_candidat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 janv. 2015 15:54:50
	Last Modified	21 juil. 2016 16:36:27

nom_usu_candidat		
Description	nom usuel du candidat	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 nom_usu_candidat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:53:00
	Last Modified	21 juil. 2016 16:36:27

prenom_candidat	
Description	prénom du candidat


Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 prenom_candidat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 janv. 2015 16:27:48
	Last Modified	21 juil. 2016 16:36:27

autre_pren_candidat		
Description	autre prénom du candidat	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 autre_pren_candidat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 11:53:07
	Last Modified	21 juil. 2016 16:36:27


dat_naiss_candidat	
Description	date naissance du candidat
Type	date
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	0
Scale	0
Attribute Model	 dat_naiss_candidat

Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 janv. 2015 15:51:58
	Last Modified	1 mars 2016 12:52:06

cod_pay_nat		
Description	nationalité du candidat	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 janv. 2015 15:54:19
	Last Modified	28 janv. 2015 16:25:39

ine_candidat		
Description	INE du candidat	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Attribute Model	 ine_candidat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 janv. 2015 15:54:11
	Last Modified	1 mars 2016 12:52:06


cle_ine_candidat		
------------------	--	--

Description	INE du candidat	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 cle_ine_candidat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 janv. 2015 15:54:11
	Last Modified	1 mars 2016 12:52:06


cod_pay_naiss		
Description	code Apogee pays de naissance du candidat	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 janv. 2015 15:54:03
	Last Modified	28 janv. 2015 16:36:01


cod_dep_naiss_candidat		
Description	code Apogee departement de naissance candidat	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	

Length	3	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 janv. 2015 15:55:09
	Last Modified	1 mars 2016 12:40:09

lib_ville_naiss_candidat		
Description	ville de naissance du candidat	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 lib_ville_naiss_candidat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 janv. 2015 15:55:21
	Last Modified	21 juil. 2016 16:36:27

id_adr		
Description	identifiant de l'adresse	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:26:11
	Last Modified	19 févr. 2015 11:07:11


tel_candidat		
Description	numéro de téléphone du candidat	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 tel_candidat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 janv. 2015 15:56:13
	Last Modified	1 mars 2016 12:52:06

tel_port_candidat		
Description	numéro de téléphone portable du candidat	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 tel_port_candidat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 janv. 2015 15:56:18
	Last Modified	1 mars 2016 12:52:06


cod_langue	
Description	code langue
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false


Length	5	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 févr. 2015 18:11:59
	Last Modified	30 sept. 2015 16:05:24


id_cpt_min		
Description	id du compte a minima	
Type	int	
Nullable	false	
Unique	true	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	15 avr. 2015 16:56:00
	Last Modified	30 sept. 2015 16:05:24

tem_updatable_candidat		
Description	temoin indiquant que les données proviennent d'apogee	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_updatable_candidat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 mai 2015 15:16:36
	Last Modified	1 mars 2016 12:52:06


Relationships


fk_candidature_candidat_id_candidat : Relationship		
To	 candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:17:08
	Last Modified	1 mars 2016 12:52:06


fk_bac_ou_equ_candidat_id_candidat : Relationship		
To	 candidat_bac_ou_equ	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:54:06
	Last Modified	1 mars 2016 12:52:06

fk_cursus_pro_candidat_id_candidat : Relationship		
To	 candidat_cursus_pro	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	


Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:07:41
	Last Modified	1 mars 2016 12:52:06


fk_cursus_post_bac_candidat_id_candidat : Relationship		
To	 candidat_cursus_post_bac	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:08:25
	Last Modified	1 mars 2016 12:52:06

fk_candidat_cursus_interne_candidat_id_candidat : Relationship		
To	 candidat_cursus_interne	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 mai 2015 17:36:04
	Last Modified	1 mars 2016 12:52:06


fk_candidat_stage_candidat_id_candidat : Relationship		
To	 candidat_stage	
Quality Score	Fair	


Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 mai 2015 17:13:01
	Last Modified	1 mars 2016 12:52:06


fk_candidat_formulaire_candidat_id_candidat : Relationship		
To	 formulaire_candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 oct. 2016 14:43:22
	Last Modified	18 oct. 2016 15:00:35

fk_candidat_pj_candidat_id_candidat : Relationship		
To	 pj_candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 oct. 2016 15:44:23
	Last Modified	25 oct. 2016 15:55:31


fk_candidat_langue_id_langue : Relationship		
From	 langue	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 10:51:51
	Last Modified	1 mars 2016 12:52:06


fk_candidat_adresse_id_adr : Relationship		
From	 adresse	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:26:28
	Last Modified	1 mars 2016 12:52:06


fk_candidat_siscol_pays_cod_pay_nat : Relationship		
From	 siscol_pays	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	

Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:24:44
	Last Modified	1 mars 2016 12:52:06

fk_candidat_siscol_pays_cod_pays_naiss : Relationship		
From	 siscol_pays	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:25:45
	Last Modified	1 mars 2016 12:52:06

fk_siscol_departement_cod_dep_cod_dep_naiss : Relationship		
From	 siscol_departement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 févr. 2015 15:28:23
	Last Modified	1 mars 2016 12:52:06

fk_compte_minima_candidat_id_cpt_min : Relationship		
From	 compte_minima	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	15 avr. 2015 16:55:54
	Last Modified	1 mars 2016 12:52:06

fk_civilite_candidat_cod_civ : Relationship		
From	 civilite	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 mai 2015 17:11:24
	Last Modified	1 mars 2016 12:52:06

pj_candidat

Name	Value	
Description	table des pièces d'un candidat provenant du SiScol	
Data Model	Physical	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Primary Key Clustered	Unspecified	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 oct. 2016 15:25:21
	Last Modified	20 févr. 2017 12:48:52

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_candidat	int(10)	PK/FK (candidat.id_candidat)	No	id du candidat
cod_anu_pj_candidat	varchar(4)	PK	No	code de l'année
cod_tpj_pj_candidat	varchar(5)	PK	No	code de la pièce du siScol
nom_fic_pj_candidat	varchar(30)		No	nom du fichier
dat_exp_pj_candidat	datetime		Yes	date d'expiration de la pièce
dat_cre_pj_candidat	datetime		No	date de creation de la pièce

Columns

id_candidat		
Description	id du candidat	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 oct. 2016 15:44:27
	Last Modified	25 oct. 2016 15:55:31

cod_anu_pj_candidat	
Description	code de l'année
Type	varchar
Nullable	false

Unique	false	
Primary Key	true	
Index	false	
Length	4	
Scale	0	
Id Generator	native	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 oct. 2016 15:41:31
	Last Modified	25 oct. 2016 16:25:48

cod_tpj_pj_candidat		
Description	code de la pièce du siScol	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	5	
Scale	0	
Id Generator	native	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 oct. 2016 15:42:07
	Last Modified	25 oct. 2016 16:25:48


nom_fic_pj_candidat		
Description	nom du fichier	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 oct. 2016 15:42:52
	Last Modified	25 oct. 2016 16:25:48

dat_exp_pj_candidat		
Description	date d'expiration de la pièce	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	27 oct. 2016 10:40:29
	Last Modified	27 oct. 2016 18:45:30


dat_cre_pj_candidat		
Description	date de creation de la pièce	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 oct. 2016 16:15:29
	Last Modified	20 févr. 2017 12:48:52

Relationships

fk_candidat_pj_candidat_id_candidat : Relationship	
From	 candidat
Quality Score	Fair

Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 oct. 2016 15:44:23
	Last Modified	25 oct. 2016 15:55:31

civilite


Name	Value	
Description	table des civilités	
Data Model	Physical	
Mapped Class	 Civilite	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	5 mai 2015 17:08:23
	Last Modified	1 mars 2016 12:52:06


Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_civ	varchar(4)	PK	No	code de la civilité
lib_civ	varchar(255)		No	libellé de la civilité
cod_apo	varchar(1)		No	code apogée correspondant

Columns

cod_civ	
Description	code de la civilité
Type	varchar


Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	4	
Scale	0	
Id Generator	native	
Attribute Model	 cod_civ	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 mai 2015 17:08:51
	Last Modified	1 mars 2016 12:52:06

lib_civ		
Description	libellé de la civilité	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	255	
Scale	0	
Attribute Model	 lib_civ	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 mai 2015 17:09:36
	Last Modified	1 mars 2016 12:52:06


cod_apo	
Description	code apogée correspondant
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	1
Scale	0
Attribute Model	 cod_apo

Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 mai 2015 17:10:11
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_civilite_candidat_cod_civ : Relationship		
To	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 mai 2015 17:11:24
	Last Modified	1 mars 2016 12:52:06

opi

Name	Value	
Description	table des opi en attente	
Data Model	Physical	
Mapped Class	 Opi	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	3 févr. 2015 16:49:32
	Last Modified	22 juil. 2016 13:35:52


Columns Summary

Name	Data Type	Constraints	Nullable	Description
------	-----------	-------------	----------	-------------


id_cand	int(10)	PK/FK (candidature.id_cand)	No	identifiant de la candidature
dat_cre_opi	datetime		No	date de création
dat_passage_opi	datetime		Yes	date de création de l'opi
cod_opi	varchar(10)		Yes	code de l'opi

Columns

id_cand		
Description	identifiant de la candidature	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 13:51:57
	Last Modified	6 févr. 2015 13:30:26


dat_cre_opi	
Description	date de création
Type	datetime
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	0
Scale	0
Attribute Model	 dat_cre_opi
Generated	Unspecified
Sync To Attribute	Yes

Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 16:50:13
	Last Modified	1 mars 2016 12:52:06

dat_passage_opi		
Description	date de création de l'opi	
Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_passage_opi	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 févr. 2015 16:50:13
	Last Modified	1 mars 2016 12:52:06


cod_opi		
Description	code de l'opi	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 juil. 2016 13:34:55
	Last Modified	22 juil. 2016 13:35:52

Relationships

fk_cand_opi_id_cand : Relationship	
From	 candidature
Quality Score	Fair

Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	6 févr. 2015 13:30:01
	Last Modified	1 mars 2016 12:52:06

type_decision_candidature


Name	Value	
Description	table de l'historique des decisions d'une canidature	
Data Model	Physical	
Mapped Class	 Type_decision_candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	29 janv. 2015 11:46:09
	Last Modified	1 mars 2016 12:52:06

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_type_dec_cand	int(10)	PK	No	identifiant de la décision prise sur une candidature
id_cand	int(10)	FK (candidature.id_cand)	No	identifiant de la candidature
id_typ_dec	int(10)	FK (type_decision.id_typ_dec)	No	identifiant du type de decision
id_motiv	int(10)	FK (motivation_avis.id_motiv)	Yes	identifiant de la motivation d'avis

list_comp_rang_typ_dec_cand	int(10)		Yes	rang de liste complémentaire
comment_type_dec_cand	varchar(500)		Yes	éventuel commentaire
preselect_date_type_dec_cand	date		Yes	Date de l'épreuve de sélection
preselect_heure_type_dec_cand	time		Yes	Heure de l'épreuve de sélection
preselect_lieu_type_dec_cand	varchar(100)		Yes	Lieu de l'épreuve de sélection
tem_appel_type_dec_cand	bit(1)		No	témoin pour indiquer que l'avis est un appel
dat_cre_type_dec_cand	datetime		No	date de création
user_cre_type_dec_cand	varchar(30)		No	user de création
tem_valid_type_dec_cand	bit(1)		No	témoin pour indiquer que l'avis a été validé
dat_valid_type_dec_cand	datetime		Yes	date de validation
user_valid_type_dec_cand	varchar(30)		Yes	user de validation

Columns

id_type_dec_cand	
Description	identifiant de la décision prise sur une candidature
Type	int
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	10
Scale	0
Id Generator	native
Attribute Model	 id_type_dec_cand
Generated	Unspecified
Sync To Attribute	Yes

Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:47:30
	Last Modified	1 mars 2016 12:52:06


id_cand		
Description	identifiant de la candidature	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 12:00:25
	Last Modified	29 janv. 2015 12:17:54

id_typ_dec		
Description	identifiant du type de decision	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:48:21
	Last Modified	29 janv. 2015 12:17:54


id_motiv	
Description	identifiant de la motivation d'avis
Type	int
Nullable	true
Unique	false


Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:48:40
	Last Modified	29 janv. 2015 12:17:54

list_comp_rang_typ_dec_cand		
Description	rang de liste complémentaire	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Attribute Model	 list_comp_rang_typ_dec_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:48:50
	Last Modified	1 mars 2016 12:52:06


comment_type_dec_cand	
Description	éventuel commentaire
Type	varchar
Nullable	true
Unique	false
Primary Key	false
Index	false
Length	500
Scale	0
Attribute Model	 comment_type_dec_cand
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:49:15
	Last Modified	1 mars 2016 12:52:06


preselect_date_type_dec_cand		
Description	Date de l'épreuve de sélection	
Type	date	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 preselect_date_type_dec_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:50:50
	Last Modified	1 mars 2016 12:52:06

preselect_heure_type_dec_cand		
Description	Heure de l'épreuve de sélection	
Type	time	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 preselect_heure_type_dec_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:50:50
	Last Modified	1 mars 2016 12:52:06


preselect_lieu_type_dec_cand	
Description	Lieu de l'épreuve de sélection
Type	varchar


Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	100	
Scale	0	
Attribute Model	 preselect_lieu_type_dec_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 11:51:50
	Last Modified	1 mars 2016 12:52:06

tem_appel_type_dec_cand		
Description	témoin pour indiquer que l'avis est un appel	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_appel_type_dec_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 12:04:12
	Last Modified	1 mars 2016 12:52:06


dat_cre_type_dec_cand	
Description	date de création
Type	datetime
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	0
Scale	0
Attribute Model	 dat_cre_type_dec_cand
Generated	Unspecified


Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_cre_type_dec_cand		
Description	user de création	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_type_dec_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06


tem_valid_type_dec_cand		
Description	témoin pour indiquer que l'avis a été validé	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_valid_type_dec_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 12:04:12
	Last Modified	1 mars 2016 12:52:06


dat_valid_type_dec_cand	
Description	date de validation


Type	datetime	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_valid_type_dec_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_valid_type_dec_cand		
Description	user de validation	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_valid_type_dec_cand	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_typ_dec_cand_typ_dec_id_typ_dec : Relationship		
From	 type_decision	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	

From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 12:08:36
	Last Modified	1 mars 2016 12:52:06
fk_typ_dec_cand_candidature_id_cand : Relationship		
From	 candidature	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 12:09:11
	Last Modified	1 mars 2016 12:52:06

fk_typ_dec_cand_motivation_avis_id_motiv : Relationship		
From	 motivation_avis	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 12:09:44
	Last Modified	1 mars 2016 12:52:06




Name	Value	
Description	table des mails	
Data Model	Physical	
Mapped Class	Mail	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	22 janv. 2015 16:11:48
	Last Modified	21 juil. 2016 12:33:57

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_mail	int(10)	PK	No	identifiant du mail
cod_typ_avis	varchar(2)	FK (type_avis.cod_typ_avis)	Yes	type de décision lié au mail
cod_mail	varchar(30)	Unique	No	code du mail
lib_mail	varchar(50)		No	libelle du mail
tem_is_modele_mail	bit(1)		No	temoin si le mail est un modele de mail
tes_mail	bit(1)		No	temoin en service
id_i18n_sujet_mail	int(10)	FK (i18n.id_i18n)	No	identifiant i18n du sujet du mail
id_i18n_corps_mail	int(10)	FK (i18n.id_i18n)	No	identifiant i18n du corps du mail
dat_cre_mail	datetime		No	date de création
user_cre_mail	varchar(30)		No	user de création
dat_mod_mail	datetime		No	date de modification
user_mod_mail	varchar(30)		No	user de modification


Columns


id_mail		
Description	identifiant du mail	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_mail	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:12:01
	Last Modified	1 mars 2016 12:52:06

cod_typ_avis		
Description	type de décision lié au mail	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	2	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:12:08
	Last Modified	19 févr. 2015 10:17:39


cod_mail	
Description	code du mail
Type	varchar
Nullable	false
Unique	true
Primary Key	false

Index	false	
Length	30	
Scale	0	
Attribute Model	 cod_mail	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:12:02
	Last Modified	1 mars 2016 12:52:06

lib_mail		
Description	libelle du mail	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 lib_mail	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:12:03
	Last Modified	1 mars 2016 12:52:06

tem_is_modele_mail		
Description	temoin si le mail est un modele de mail	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_is_modele_mail	
Generated	Unspecified	
Sync To Attribute	Yes	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:18:41
	Last Modified	1 mars 2016 12:52:06


tes_mail		
Description	temoin en service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_mail	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:18:41
	Last Modified	1 mars 2016 12:52:06

id_i18n_sujet_mail		
Description	identifiant i18n du sujet du mail	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 janv. 2015 17:10:01
	Last Modified	28 janv. 2015 11:45:54


id_i18n_corps_mail	
Description	identifiant i18n du corps du mail
Type	int
Nullable	false


Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 janv. 2015 17:12:12
	Last Modified	28 janv. 2015 11:45:54

dat_cre_mail		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_mail	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_cre_mail		
Description	user de création	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_cre_mail	
Generated	Unspecified	
Sync To Attribute	Yes	



Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

dat_mod_mail		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_mail	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


user_mod_mail		
Description	user de modification	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_mail	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_type_decision_mail_id_mail : Relationship	
To	 type_decision

Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:17:58
	Last Modified	21 juil. 2016 12:33:57
fk_mail_type_avis_cod_typ_avis : Relationship		
From	 type_avis	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 16:20:13
	Last Modified	21 juil. 2016 12:33:57
fk_mail_i18n_id_i18n_sujet_mail : Relationship		
From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	27 janv. 2015 15:09:57
	Last Modified	21 juil. 2016 12:33:57

fk_mail_i18n_id_i18n_corps_mail : Relationship		
From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	27 janv. 2015 15:10:27
	Last Modified	21 juil. 2016 12:33:57

formulaire_candidat

Name	Value	
Description	table des réponses aux formulaires limesurvey	
Data Model	Physical	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 oct. 2016 14:04:21
	Last Modified	22 nov. 2016 16:10:31

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_candidat	int(10)	PK/FK (candidat.id_candidat)	No	id du candidat
id_formulaire_limesurvey	int(11)	PK	No	id du formulaire limesurvey

reponses_formulaire_candidat	text		Yes	les réponses du formulaire
dat_reponse_formulaire_candidat	datetime		No	date de réponse au formulaire
dat_cre_formulaire_candidat	datetime		No	date de création de la réponse
dat_mod_formulaire_candidat	datetime		No	date de modification de la réponse

Columns

id_candidat		
Description	id du candidat	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 oct. 2016 14:06:22
	Last Modified	18 oct. 2016 15:00:35

id_formulaire_limesurvey	
Description	id du formulaire limesurvey
Type	int
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	11
Scale	0
Generated	Unspecified
Sync To Attribute	Yes

Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 oct. 2016 14:37:57
	Last Modified	18 oct. 2016 15:00:35

reponses_formulaire_candidat		
Description	les réponses du formulaire	
Type	text	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 oct. 2016 14:39:11
	Last Modified	18 oct. 2016 14:46:35


dat_reponse_formulaire_candidat		
Description	date de réponse au formulaire	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 oct. 2016 14:38:44
	Last Modified	18 oct. 2016 14:46:35

dat_cre_formulaire_candidat	
Description	date de création de la réponse
Type	datetime
Nullable	false
Unique	false

Primary Key	false	
Index	false	
Length	0	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 oct. 2016 14:38:28
	Last Modified	18 oct. 2016 14:46:35


dat_mod_formulaire_candidat		
Description	date de modification de la réponse	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 oct. 2016 14:39:03
	Last Modified	18 oct. 2016 14:46:35

Relationships

fk_candidat_formulaire_candidat_id_candidat : Relationship		
From	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 oct. 2016 14:43:22
	Last Modified	18 oct. 2016 15:00:35

sicol_mention_niv_bac


Name	Value	
Description	Rérérentiel SiScol : Mentions accordees au baccalaureat	
Data Model	Physical	
Mapped Class	 Sicol_mention_niv_bac	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Constraint Name	MNB_PK	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09


Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_mnb	varchar(2)	PK	No	Code Mention Niveau Bac
lib_mnb	varchar(40)		No	Libelle Long Mention Niveau Bac
lic_mnb	varchar(10)		No	Libelle Court Mention Niveau Bac
tem_en_sve_mnb	bit(1)		No	Temoin Code en Service

Columns


cod_mnb	
Description	Code Mention Niveau Bac
Type	varchar
Nullable	false
Unique	false
Primary Key	true
Index	false
Type Name	VARCHAR2

Length	2	
Scale	0	
Id Generator	assigned	
Attribute Model	 cod_mnb	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09


lib_mnb		
Description	Libelle Long Mention Niveau Bac	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	40	
Scale	0	
Id Generator	native	
Attribute Model	 lib_mnb	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09

lic_mnb		
Description	Libelle Court Mention Niveau Bac	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 lic_mnb	


Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09

tem_en_sve_mnb		
Description	Temoin Code en Service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_mnb	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09

Relationships

fk_bac_ou_equ_siscol_mention_niv_bac_cod_mnb : Relationship		
To	 candidat_bac_ou_equ	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:57:39
	Last Modified	1 mars 2016 12:52:06


i18n

Name	Value	
Description	tables des identifiants i18n	
Data Model	Physical	
Mapped Class	 I18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	26 janv. 2015 17:02:27
	Last Modified	30 nov. 2016 12:01:42

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_i18n	int(10)	PK	No	identifiant i18n
cod_typ_trad	varchar(20)	FK (type_traduction.cod_typ_trad)	No	code du type de traduction



Columns

id_i18n		
Description	identifiant i18n	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_i18n	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 janv. 2015 17:02:36
	Last Modified	1 mars 2016 12:52:06


cod_typ_trad


Description	code du type de traduction	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 févr. 2015 12:17:05
	Last Modified	19 févr. 2015 12:10:00


Relationships

fk_traduction_i18n_id_i18n : Relationship		
To	 i18n_traduction	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 janv. 2015 17:06:12
	Last Modified	1 mars 2016 12:52:06
fk_mail_i18n_id_i18n_sujet_mail : Relationship		
To	 mail	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	


Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	27 janv. 2015 15:09:57
	Last Modified	21 juil. 2016 12:33:57


fk_mail_i18n_id_i18n_corps_mail : Relationship		
To	 mail	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	27 janv. 2015 15:10:27
	Last Modified	21 juil. 2016 12:33:57

fk_type_decision_i18n_id_i18n_lib_typ_dec : Relationship		
To	 type_decision	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	27 janv. 2015 15:33:58
	Last Modified	1 mars 2016 12:52:06


fk_motivation_avis_i18n_id_i18n_lib_motiv : Relationship		
To	 motivation_avis	
Quality Score	Fair	


Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:07:25
	Last Modified	1 mars 2016 12:52:06


fk_piece_justif_i18n_id_i18n_lib_pj : Relationship		
To	 piece_justif	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 15:57:00
	Last Modified	1 mars 2016 12:52:06

fk_i18n_formulaire_id18n_lib : Relationship		
To	 formulaire	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 mars 2015 17:58:04
	Last Modified	1 mars 2016 12:52:06


fk_i18n_formulaire_id18n_url : Relationship		
To	 formulaire	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 mars 2015 17:58:56
	Last Modified	1 mars 2016 12:52:06

fk_type_statut_i18n_id_i18n_lib_typ_statut : Relationship		
To	 type_statut	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	11 juin 2015 10:48:53
	Last Modified	1 mars 2016 12:52:06

fk_type_statut_piece_i18n_id_i18n_lib_typ_statut_piece : Relationship		
To	 type_statut_piece	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary

Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	11 juin 2015 10:50:40
	Last Modified	1 mars 2016 12:52:06

fk_type_trait_i18n_id_i18n_lib_typ_trait : Relationship		
To	 type_traitement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	3 sept. 2015 15:04:50
	Last Modified	1 mars 2016 12:52:06


fk_faq_i18n_id_i18n_question_faq : Relationship		
To	 faq	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 oct. 2015 10:15:36
	Last Modified	1 mars 2016 12:52:06

fk_faq_i18n_id_i18n_reponse_faq : Relationship		
To	faq	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 oct. 2015 10:16:26
	Last Modified	1 mars 2016 12:52:06


fk_message_i18n_id_i18n : Relationship		
To	message	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 juil. 2016 12:33:13
	Last Modified	21 juil. 2016 12:45:06

fk_campagne_i18n_id_i18n_id_i18n_libelle_campagne : Relationship		
To	campagne	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	0..1	
Sync To Association	Yes	

Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 nov. 2016 11:59:50
	Last Modified	30 nov. 2016 12:19:54

fk_type_traduction_cod_typ_trad : Relationship		
From	 type_traduction	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 févr. 2015 12:16:52
	Last Modified	1 mars 2016 12:52:06

candidat_bac_ou_equ

Name	Value	
Description	table des bacs ou equ du candidat	
Data Model	Physical	
Mapped Class	 Candidat_bac_ou_equ	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 16:21:59
	Last Modified	1 mars 2016 12:52:06

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_candidat	int(10)	PK/FK (candidat.id_candidat)	No	identifiant du candidat

cod_pay	varchar(3)	FK (siscol_pays.cod_pay)	Yes	code du pays
cod_dep	varchar(3)	FK (siscol_departement.cod_dep)	Yes	code du departement
cod_com	varchar(5)	FK (siscol_commune.cod_com)	Yes	code de la commune
cod_etb	varchar(8)	FK (siscol_etablissement.cod_etb)	Yes	code de l'etablissement
annee_obt_bac	int(4)		Yes	année d'obtention du bac
cod_bac	varchar(4)	FK (siscol_bac_oux_equ.cod_bac)	No	code du bac
cod_mnb	varchar(2)	FK (siscol_mention_niv_bac.cod_mnb)	Yes	code de la mention
tem_updatable_bac	bit(1)		No	temoin indiquant si le bac a été récupéré d'apogee

Columns

id_candidat		
Description	identifiant du candidat	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:22:14
	Last Modified	28 janv. 2015 17:47:22

cod_pay	
Description	code du pays
Type	varchar
Nullable	true
Unique	false


Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:22:20
	Last Modified	27 mai 2015 11:03:35

cod_dep		
Description	code du departement	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:01:04
	Last Modified	28 janv. 2015 17:47:22

cod_com		
Description	code de la commune	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	5	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:11:37
	Last Modified	28 janv. 2015 17:47:22


cod_etb		
Description	code de l'etablissement	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	8	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:52:29
	Last Modified	28 janv. 2015 17:47:22

annee_obt_bac		
Description	année d'obtention du bac	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	4	
Scale	0	
Attribute Model	 annee_obt_bac	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:51:56
	Last Modified	1 mars 2016 12:52:06

cod_bac	
Description	code du bac
Type	varchar




Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	4	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:51:44
	Last Modified	28 janv. 2015 17:47:22

cod_mnb		
Description	code de la mention	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	2	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:53:24
	Last Modified	28 janv. 2015 17:47:22


tem_updatable_bac	
Description	temoin indiquant si le bac a été récupéré d'apogee
Type	bit
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	1
Scale	0
Attribute Model	 tem_updatable_bac
Generated	Unspecified


Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 mai 2015 15:17:40
	Last Modified	1 mars 2016 12:52:06

Relationships


fk_bac_ou_equ_candidat_id_candidat : Relationship		
From	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:54:06
	Last Modified	1 mars 2016 12:52:06
fk_bac_ou_equ_siscol_pays_cod_pay : Relationship		
From	 siscol_pays	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:54:45
	Last Modified	1 mars 2016 12:52:06
fk_bac_ou_equ_siscol_bac_ou_equ_cod_bac : Relationship		
From	 siscol_bac_oux_equ	
Quality Score	Fair	


Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:56:02
	Last Modified	14 déc. 2016 11:30:42

fk_bac_ou_equ_sicol_etablissement_cod_etb : Relationship		
From	 sicol_etablissement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:56:42
	Last Modified	1 mars 2016 12:52:06

fk_bac_ou_equ_sicol_mention_niv_bac_cod_mnb : Relationship		
From	 sicol_mention_niv_bac	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:57:39
	Last Modified	1 mars 2016 12:52:06

fk bac_ou_equ_siscol_departement_cod_dep : Relationship		
From	 siscol_departement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:01:30
	Last Modified	1 mars 2016 12:52:06

fk bac_ou_equ_siscol_commune_cod_com : Relationship		
From	 siscol_commune	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:12:11
	Last Modified	1 mars 2016 12:52:06

type_traduction


Name	Value
Description	table des types de traduction
Data Model	Physical

Mapped Class	Type_traduction	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	16 févr. 2015 12:12:39
	Last Modified	1 mars 2016 12:52:06


Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_typ_trad	varchar(20)	PK	No	code du type de la traduction
lib_typ_trad	varchar(30)		No	libellé du type de la traduction
length_typ_trad	int(10)		No	taille du champs du type de la traduction

Columns


cod_typ_trad		
Description	code du type de la traduction	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	20	
Scale	0	
Attribute Model	 cod_typ_trad	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 févr. 2015 12:13:04
	Last Modified	1 mars 2016 12:52:06

lib_typ_trad

Description	libellé du type de la traduction	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 lib_typ_trad	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 févr. 2015 12:13:21
	Last Modified	1 mars 2016 12:52:06


length_typ_trad		
Description	taille du champs du type de la traduction	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Attribute Model	 length_typ_trad	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 févr. 2015 12:13:41
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_type_traduction_cod_typ_trad : Relationship		
To	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	

To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	16 févr. 2015 12:16:52
	Last Modified	1 mars 2016 12:52:06

sicol_pays


Name	Value	
Description	Rérérentiel SiScol : Table des pays	
Data Model	Physical	
Mapped Class	 Sicol_pays	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Constraint Name	PAY_PK	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_pay	varchar(3)	PK	No	Code Pays INSEE
lib_pay	varchar(40)		No	Libelle Long Pays
lic_pay	varchar(10)		No	Libelle Court Pays
lib_nat	varchar(40)		No	Libelle Nationalite
tem_en_sve_pay	bit(1)		No	Temoin en Service


Columns


cod_pay	
Description	Code Pays INSEE
Type	varchar
Nullable	false
Unique	false


Primary Key	true	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Id Generator	assigned	
Attribute Model	 cod_pay	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

lib_pay		
Description	Libelle Long Pays	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	40	
Scale	0	
Id Generator	native	
Attribute Model	 lib_pay	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

lic_pay	
Description	Libelle Court Pays
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Type Name	VARCHAR2
Length	10


Scale	0	
Id Generator	native	
Attribute Model	 lic_pay	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


lib_nat		
Description	Libelle Nationalite	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	40	
Scale	0	
Id Generator	native	
Attribute Model	 lib_nat	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


tem_en_sve_pay		
Description	Temoin en Service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_pay	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


Relationships


fk_adresse_sicol_pays_cod_pay : Relationship		
To	 adresse	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:09:08
	Last Modified	1 mars 2016 12:52:06

fk_candidat_sicol_pays_cod_pay_nat : Relationship		
To	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:24:44
	Last Modified	1 mars 2016 12:52:06


fk_candidat_sicol_pays_cod_pays_naiss : Relationship		
To	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary

Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:25:45
	Last Modified	1 mars 2016 12:52:06

fk_bac_ou_equ_siscol_pays_cod_pay : Relationship		
To	 candidat_bac_ou_equ	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:54:45
	Last Modified	1 mars 2016 12:52:06

fk_cursus_siscol_pays_cod_pay : Relationship		
To	 candidat_cursus_post_bac	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:36:48
	Last Modified	1 mars 2016 12:52:06

langue


Name	Value	
Description	table des langues	
Data Model	Physical	
Mapped Class	 Langue	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	22 janv. 2015 10:10:05
	Last Modified	22 nov. 2016 16:10:31


Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_langue	varchar(5)	PKUnique	No	code de la langue (important, utile aux traductions fr, en, etc..)
lib_langue	varchar(20)		No	libellé de la langue
tem_default_langue	bit(1)		No	témoin de la langue par défaut de l'application
tes_langue	bit(1)		No	temoin en service


Columns

cod_langue	
Description	code de la langue (important, utile aux traductions fr, en, etc..)
Type	varchar
Nullable	false
Unique	true
Primary Key	true
Index	false
Length	5
Scale	0



Attribute Model	 cod_langue	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 10:12:11
	Last Modified	1 mars 2016 12:52:06

lib_langue		
Description	libellé de la langue	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 lib_langue	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 10:12:25
	Last Modified	1 mars 2016 12:52:06

tem_defaut_langue		
Description	témoin de la langue par défaut de l'application	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_defaut_langue	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 10:34:24
	Last Modified	1 mars 2016 12:52:06


tes_langue		
Description	temoin en service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_langue	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 10:36:40
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_candidat_langue_id_langue : Relationship		
To	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 janv. 2015 10:51:51
	Last Modified	1 mars 2016 12:52:06
fk_traduction_langue_id_langue : Relationship		
To	 i18n_traduction	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	

From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 janv. 2015 14:33:44
	Last Modified	1 mars 2016 12:52:06

motivation_avis


Name	Value	
Description	table des motivations d'avis	
Data Model	Physical	
Mapped Class	 Motivation_avis	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 12:06:15
	Last Modified	1 mars 2016 12:52:06


Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_motiv	int(10)	PK	No	identifiant de la motivation d'avis
cod_motiv	varchar(20)	Unique	No	code de la motivation d'avis
lib_motiv	varchar(50)		No	libellé de la motivation
id_i18n_lib_motiv	int(10)	FK (i18n.id_i18n)	No	identifiant i18n de la motivation d'avis
tes_motiv	bit(1)		No	témoin en service de la motivation d'avis


dat_cre_motiv	datetime		No	date de création
user_cre_motiv	varchar(30)		No	user de création
dat_mod_motiv	datetime		No	date de modification
user_mod_motiv	varchar(30)		No	user de modification

Columns

id_motiv									
Description	identifiant de la motivation d'avis								
Type	int								
Nullable	false								
Unique	false								
Primary Key	true								
Index	false								
Length	10								
Scale	0								
Id Generator	native								
Attribute Model	 id_motiv								
Generated	Unspecified								
Sync To Attribute	Yes								
Project Management	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Author</td> <td>Kevin</td> </tr> <tr> <td>Create Date Time</td> <td>28 janv. 2015 12:06:26</td> </tr> <tr> <td>Last Modified</td> <td>1 mars 2016 12:52:06</td> </tr> </tbody> </table>	Name	Value	Author	Kevin	Create Date Time	28 janv. 2015 12:06:26	Last Modified	1 mars 2016 12:52:06
	Name	Value							
	Author	Kevin							
	Create Date Time	28 janv. 2015 12:06:26							
Last Modified	1 mars 2016 12:52:06								


cod_motiv	
Description	code de la motivation d'avis
Type	varchar
Nullable	false
Unique	true
Primary Key	false
Index	false
Length	20
Scale	0
Attribute Model	 cod_motiv
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	2 mars 2015 09:42:03
	Last Modified	1 mars 2016 12:52:06


lib_motiv		
Description	libellé de la motivation	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 lib_motiv	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	2 mars 2015 11:22:10
	Last Modified	1 mars 2016 12:52:06

id_i18n_lib_motiv		
Description	identifiant i18n de la motivation d'avis	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:06:42
	Last Modified	28 janv. 2015 12:12:04


tes_motiv	
Description	témoin en service de la motivation d'avis
Type	bit
Nullable	false


Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tes_motiv	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:06:48
	Last Modified	1 mars 2016 12:52:06

dat_cre_motiv		
Description	date de création	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_cre_motiv	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06

user_cre_motiv	
Description	user de création
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	30
Scale	0
Attribute Model	 user_cre_motiv
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:06
	Last Modified	1 mars 2016 12:52:06

dat_mod_motiv		
Description	date de modification	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_mod_motiv	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:45:21
	Last Modified	1 mars 2016 12:52:06


user_mod_motiv		
Description	user de modification	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	30	
Scale	0	
Attribute Model	 user_mod_motiv	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 10:47:33
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_typ_dec_cand_motivation_avis_id_motiv : Relationship	
To	 type_decision_candidature

Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	29 janv. 2015 12:09:44
	Last Modified	1 mars 2016 12:52:06
fk_motivation_avis_i18n_id_i18n_lib_motiv : Relationship		
From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 12:07:25
	Last Modified	1 mars 2016 12:52:06

i18n_traduction

Name	Value	
Description	tables des traductions	
Data Model	Physical	
Mapped Class	 I18n_traduction	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	

Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	26 janv. 2015 14:28:15
	Last Modified	1 mars 2016 12:52:06

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_i18n	int(10)	PK/FK (i18n.id_i18n)	No	le code (identifiant) de la traduction
cod_langue	varchar(5)	PK/FK (langue.cod_langue)	No	code de la langue
val_trad	longtext		No	la valeur de la traduction

Columns



id_i18n		
Description	le code (identifiant) de la traduction	
Type	int	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 janv. 2015 14:28:25
	Last Modified	26 févr. 2015 18:34:57

cod_langue	
Description	code de la langue
Type	varchar
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	5
Scale	0
Generated	Unspecified

Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 févr. 2015 18:11:59
	Last Modified	26 févr. 2015 18:34:57

val_trad		
Description	la valeur de la traduction	
Type	longtext	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 val_trad	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 janv. 2015 14:28:52
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_traduction_langue_id_langue : Relationship		
From	 langue	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 janv. 2015 14:33:44
	Last Modified	1 mars 2016 12:52:06
fk_traduction_i18n_id_i18n : Relationship		
From	 i18n	

Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	true	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	26 janv. 2015 17:06:12
	Last Modified	1 mars 2016 12:52:06

message

Name	Value	
Description	table des messages	
Data Model	Physical	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 juil. 2016 12:08:28
	Last Modified	21 juil. 2016 13:25:08

Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_msg	varchar(30)	PK	No	code du message
lib_msg	varchar(50)		No	Libellé du message
id_i18n_val_msg	int(10)	FK (i18n.id_i18n)	No	identifiant i18n du message
tes_msg	bit(1)		No	témoin en service
dat_mod_msg	datetime		No	date de modification du message

Columns

cod_msg		
Description	code du message	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	30	
Scale	0	
Id Generator	native	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 juil. 2016 12:08:36
	Last Modified	21 juil. 2016 12:13:14

lib_msg		
Description	Libellé du message	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 juil. 2016 12:10:08
	Last Modified	21 juil. 2016 12:13:14


id_i18n_val_msg	
Description	identifiant i18n du message
Type	int
Nullable	false
Unique	false
Primary Key	false
Index	false

Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 juil. 2016 12:33:19
	Last Modified	21 juil. 2016 12:45:06


tes_msg		
Description	témoin en service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 juil. 2016 13:07:05
	Last Modified	21 juil. 2016 13:07:37

dat_mod_msg		
Description	date de modification du message	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 juil. 2016 13:23:15
	Last Modified	21 juil. 2016 13:25:08

Relationships

fk_message_i18n_id_i18n : Relationship		
From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 juil. 2016 12:33:13
	Last Modified	21 juil. 2016 12:45:06

sicol_bac_oux_equ


Name	Value	
Description	R�r�rentiel SiScol : Baccalaureats ou equivalences	
Data Model	Physical	
Mapped Class	 Sicol_bac_oux_equ	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Constraint Name	BAC_PK	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	20 f�vr. 2017 12:52:24

Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_bac	varchar(4)	PK	No	Code Baccalaureat ou Equivalence
lib_bac	varchar(40)		No	Libelle Long Baccalaureat ou Equivalence


lic_bac	varchar(10)		No	Libelle Court Baccalaureat ou Equivalence
daa_deb_vld_bac	varchar(4)		Yes	Date de début de validité du bac
daa_fin_vld_bac	varchar(4)		Yes	Date de fin de validité du bac
tem_nat_bac	bit(1)		No	Temoin Nature de Bac
tem_en_sve_bac	bit(1)		No	Témoin en service
tem_ctrl_ine_bac	bit(1)		No	Temoin de controle de l'ine
ann_ctrl_ine_bac	varchar(4)		Yes	Annee de controle de l'ine


Columns

cod_bac									
Description	Code Baccalaureat ou Equivalence								
Type	varchar								
Nullable	false								
Unique	false								
Primary Key	true								
Index	false								
Type Name	VARCHAR2								
Length	4								
Scale	0								
Id Generator	assigned								
Attribute Model	 cod_bac								
Generated	Unspecified								
Sync To Attribute	Yes								
Project Management	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Author</td> <td>Kevin</td> </tr> <tr> <td>Create Date Time</td> <td>28 janv. 2015 14:53:11</td> </tr> <tr> <td>Last Modified</td> <td>1 mars 2016 12:40:09</td> </tr> </tbody> </table>	Name	Value	Author	Kevin	Create Date Time	28 janv. 2015 14:53:11	Last Modified	1 mars 2016 12:40:09
	Name	Value							
	Author	Kevin							
	Create Date Time	28 janv. 2015 14:53:11							
Last Modified	1 mars 2016 12:40:09								


lib_bac	
Description	Libelle Long Baccalaureat ou Equivalence
Type	varchar
Nullable	false
Unique	false
Primary Key	false


Index	false	
Type Name	VARCHAR2	
Length	40	
Scale	0	
Id Generator	native	
Attribute Model	 lib_bac	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09


lic_bac		
Description	Libelle Court Baccaalaureat ou Equivalence	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 lic_bac	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09

daa_deb_vld_bac		
Description	Date de début de validité du bac	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	4	
Scale	0	
Attribute Model	 daa_deb_vld_bac	

Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 nov. 2015 14:56:09
	Last Modified	1 mars 2016 12:40:09

daa_fin_vld_bac		
Description	Date de fin de validité du bac	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	4	
Scale	0	
Attribute Model	 daa_fin_vld_bac	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 nov. 2015 14:56:45
	Last Modified	1 mars 2016 12:40:09

tem_nat_bac		
Description	Temoin Nature de Bac	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	1	
Scale	0	
Attribute Model	 tem_nat_bac	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09


tem_en_sve_bac		
Description	Témoin en service	
Default Value	0	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_bac	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:49:01
	Last Modified	20 févr. 2017 12:52:24

tem_ctrl_ine_bac		
Description	Temoin de controle de l'ine	
Default Value	0	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	14 déc. 2016 11:25:43
	Last Modified	20 févr. 2017 12:48:52


ann_ctrl_ine_bac	
Description	Annee de controle de l'ine
Type	varchar
Nullable	true
Unique	false
Primary Key	false
Index	false

Type Name	VARCHAR2	
Length	4	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	14 déc. 2016 11:26:16
	Last Modified	14 déc. 2016 11:30:42

Relationships

fk_bac_ou_equ_sicol_bac_ou_equ_cod_bac : Relationship		
To	 candidat_bac_ou_equ	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:56:02
	Last Modified	14 déc. 2016 11:30:42

candidat_cursus_interne


Name	Value	
Description	table des cursus interne du candidat	
Data Model	Physical	
Mapped Class	 Candidat_cursus_interne	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	21 mai 2015 17:29:36
	Last Modified	1 mars 2016 12:52:06

Columns Summary


Name	Data Type	Constraints	Nullable	Description
id_cursus_interne	int(10)	PK	No	identifiant du cursus interne
id_candidat	int(10)	FK (candidat.id_candidat)	No	identifiant du candidat
annee_univ_cursus_interne	int(4)		Yes	annee universitaire du cursus interne
cod_vet_cursus_interne	varchar(100)		Yes	code de la vet du cursus interne
lib_cursus_interne	varchar(255)		Yes	libelle du cursus interne
cod_men_cursus_interne	varchar(2)	FK (siscol_mention.cod_men)	Yes	code de la mention du cursus interne
cod_tre_cursus_interne	varchar(4)	FK (siscol_typ_resultat.cod_tre)	Yes	temoin d'obention du cursus interne

Columns


id_cursus_interne	
Description	identifiant du cursus interne
Type	int
Nullable	false
Unique	false


Primary Key	true	
Index	false	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 id_cursus_interne	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 mai 2015 17:29:51
	Last Modified	1 mars 2016 12:52:06

id_candidat		
Description	identifiant du candidat	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 mai 2015 17:30:36
	Last Modified	21 mai 2015 17:37:24

annee_univ_cursus_interne		
Description	annee universitaire du cursus interne	
Type	int	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	4	
Scale	0	
Attribute Model	 annee_univ_cursus_interne	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 mai 2015 17:31:08
	Last Modified	1 mars 2016 12:52:06

cod_vet_cursus_interne		
Description	code de la vet du cursus interne	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	100	
Scale	0	
Attribute Model	 cod_vet_cursus_interne	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 mai 2015 17:31:54
	Last Modified	1 mars 2016 12:52:06


lib_cursus_interne		
Description	libelle du cursus interne	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	255	
Scale	0	
Attribute Model	 lib_cursus_interne	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 mai 2015 17:32:17
	Last Modified	1 mars 2016 12:52:06


cod_men_cursus_interne	
Description	code de la mention du cursus interne
Type	varchar


Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	2	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 mai 2015 17:32:42
	Last Modified	22 mai 2015 10:37:54

cod_tre_cursus_interne		
Description	temoin d'obention du cursus interne	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Length	4	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 mai 2015 17:33:11
	Last Modified	9 juil. 2015 11:35:39

Relationships


fk_candidat_cursus_interne_candidat_id_candidat : Relationship		
From	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	

Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	21 mai 2015 17:36:04
	Last Modified	1 mars 2016 12:52:06
fk_siscol_mention_cursus_interne_cod_men : Relationship		
From	 siscol_mention	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 mai 2015 10:37:19
	Last Modified	1 mars 2016 12:52:06

fk_siscol_typ_resultat_candidat_cursus_interne_cod_tre : Relationship		
From	 siscol_typ_resultat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 juil. 2015 11:34:32
	Last Modified	1 mars 2016 12:52:06

faq


Name	Value
Description	table des elements FAQ

Data Model	Physical	
Mapped Class	 Faq	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	1 oct. 2015 10:13:22
	Last Modified	1 mars 2016 12:52:06


Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_faq	int(10)	PK	No	id element faq
lib_faq	varchar(50)		No	libellé element faq
id_i18n_question_faq	int(10)	FK (i18n.id_i18n)	No	id18n traduction question
id_i18n_reponse_faq	int(10)	FK (i18n.id_i18n)	No	id18n traduction reponse
order_faq	int(10)		No	ordre d'affichage de la question

Columns

id_faq	
Description	id element faq
Type	int
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	10
Scale	0
Attribute Model	 id_faq
Generated	Unspecified
Sync To Attribute	Yes


Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 oct. 2015 10:13:35
	Last Modified	1 mars 2016 12:52:06

lib_faq		
Description	libellé element faq	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	50	
Scale	0	
Attribute Model	 lib_faq	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 oct. 2015 10:13:39
	Last Modified	1 mars 2016 12:52:06


id_i18n_question_faq		
Description	id18n traduction question	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 oct. 2015 10:13:43
	Last Modified	1 oct. 2015 10:18:04


id_i18n_reponse_faq	
Description	id18n traduction reponse
Type	int
Nullable	false

Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 oct. 2015 10:13:59
	Last Modified	1 oct. 2015 10:18:04


order_faq		
Description	ordre d'affichage de la question	
Type	int	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Attribute Model	 order_faq	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	1 oct. 2015 11:54:21
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_faq_i18n_id_i18n_question_faq : Relationship		
From	 i18n	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name		Value
	Author	Kevin	
	Create Date Time	1 oct. 2015 10:15:36	
	Last Modified	1 mars 2016 12:52:06	
fk_faq_i18n_id_i18n_reponse_faq : Relationship			
From	 i18n		
Quality Score	Fair		
Quality Reason	Problem		Suggestion
	Name does not contain glossary terms		Define name as term in glossary
Identifying	false		
Subtype	false		
To Multiplicity	1		
From Multiplicity	1		
Sync To Association	Yes		
Data Model	Physical		
Project Management	Name		Value
	Author	Kevin	
	Create Date Time	1 oct. 2015 10:16:26	
	Last Modified	1 mars 2016 12:52:06	

siscol_etablissement


Name	Value		
Description	R��rentiel SiScol : Etablissements francais sec ou sup		
Data Model	Physical		
Mapped Class	 Siscol_etablissement		
Quality Score	Fair		
Quality Reason	Problem		
	Name does not contain glossary terms		
Quality Reason	Suggestion		
	Define name as term in glossary		
Records	N/A		
Primary Key Constraint Name	ETB_PK		
Primary Key Clustered	Unspecified		
Project Management	Name		Value
	Author	Kevin Hergalant	
	Create Date Time	28 janv. 2015 15:27:56	
	Last Modified	14 d��c. 2016 12:57:53	

Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_etb	varchar(8)	PK	No	Code National de l'Etablissement

cod_tpe_etb	varchar(2)		No	Code Type Etablissement
cod_dep	varchar(3)	FK (siscol_departement.cod_dep)	No	Code Departement
cod_com	varchar(5)	FK (siscol_commune.cod_com)	Yes	code commune
lib_etb	varchar(40)		No	Libelle Long Etablissement
lic_etb	varchar(10)		No	Libelle Court Etablissement
tem_en_sve_etb	bit(1)		No	Temoin Code en Service
lib_web_etb	varchar(120)		Yes	Libellé Web

Columns


cod_etb		
Description	Code National de l'Etablissement	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Type Name	VARCHAR2	
Length	8	
Scale	0	
Id Generator	assigned	
Attribute Model	 cod_etb	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


cod_tpe_etb	
Description	Code Type Etablissement
Default Value	00
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Length	2

Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	14 déc. 2016 12:53:35
	Last Modified	14 déc. 2016 12:57:53


cod_dep		
Description	Code Departement	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Id Generator	native	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:57
	Last Modified	6 mai 2015 13:07:55


cod_com		
Description	code commune	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	5	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mai 2015 16:16:08
	Last Modified	13 mai 2015 16:41:53

lib_etb		
Description	Libelle Long Etablissement	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	40	
Scale	0	
Id Generator	native	
Attribute Model	 lib_etb	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


lic_etb		
Description	Libelle Court Etablissement	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 lic_etb	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


tem_en_sve_etb	
Description	Temoin Code en Service
Type	bit
Nullable	false


Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_etb	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


lib_web_etb		
Description	Libellé Web	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	120	
Scale	0	
Attribute Model	 lib_web_etb	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

Relationships


fk_bac_ou_equ_sicol_etablissement_cod_etb : Relationship		
To	 candidat_bac_ou_equ	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	

From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:56:42
	Last Modified	1 mars 2016 12:52:06
fk_cursus_siscol_etablissement_cod_etb : Relationship		
To	 candidat_cursus_post_bac	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:39:09
	Last Modified	1 mars 2016 12:52:06

fk_siscol_departement_etab_cod_dep : Relationship		
From	 siscol_departement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
On Delete	Restrict	
On Update	Cascade	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:57
	Last Modified	1 mars 2016 12:52:06
fk_siscol_commune_siscol_etab_cod_com : Relationship		

From	 siscol_commune	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mai 2015 16:17:36
	Last Modified	1 mars 2016 12:52:06


siscol_commune

Name	Value	
Description	Rérérentiel SiScol : Table des communes	
Data Model	Physical	
Mapped Class	 Siscol_commune	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Constraint Name	COM_PK	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_com	varchar(5)	PK	No	Code INSEE Commune
cod_dep	varchar(3)	FK (siscol_departement.cod_dep)	No	Code Departement
lib_com	varchar(32)		No	libelle Long Commune
tem_en_sve_com	bit(1)		No	Temoin en Service


Columns

cod_com		
Description	Code INSEE Commune	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Type Name	VARCHAR2	
Length	5	
Scale	0	
Id Generator	assigned	
Attribute Model	 cod_com	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


cod_dep		
Description	Code Departement	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Id Generator	native	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:57
	Last Modified	6 mai 2015 13:07:55


lib_com	
Description	libelle Long Commune
Type	varchar
Nullable	false


Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	32	
Scale	0	
Id Generator	native	
Attribute Model	 lib_com	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


tem_en_sve_com		
Description	Temoin en Service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_com	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

Relationships


fk_adresse_sicol_commune_cod_com : Relationship		
To	 adresse	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	

From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:10:15
	Last Modified	1 mars 2016 12:52:06
fk_bac_ou_equ_siscol_commune_cod_com : Relationship		
To	 candidat_bac_ou_equ	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:12:11
	Last Modified	1 mars 2016 12:52:06


fk_cursus_siscol_commune_cod_com : Relationship		
To	 candidat_cursus_post_bac	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:37:27
	Last Modified	1 mars 2016 12:52:06

fk_siscol_commune_siscol_etab_cod_com : Relationship		
To	 siscol_etablissement	
Quality Score	Fair	

Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	13 mai 2015 16:17:36
	Last Modified	1 mars 2016 12:52:06

fk_siscol_departement_commune_cod_dep : Relationship		
From	 siscol_departement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
On Delete	Restrict	
On Update	Cascade	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:52:06

siscol_typ_resultat


Name	Value	
Description	Rérérentiel SiScol : Types de résultats	
Data Model	Physical	
Mapped Class	 Siscol_typ_resultat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	

Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	9 juil. 2015 11:30:55
	Last Modified	1 mars 2016 12:52:06


Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_tre	varchar(4)	PK	No	code type resultat
lib_tre	varchar(50)		No	libellé type resultat
lic_tre	varchar(20)		No	libellé court type resultat
tem_en_sve_tre	bit(1)		No	temoin en service type resultat


Columns

cod_tre		
Description	code type resultat	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	4	
Scale	0	
Attribute Model	 cod_tre	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 juil. 2015 11:31:35
	Last Modified	1 mars 2016 12:52:06

lib_tre	
Description	libellé type resultat
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false


Length	50	
Scale	0	
Attribute Model	 lib_tre	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 juil. 2015 11:31:57
	Last Modified	1 mars 2016 12:52:06

lic_tre		
Description	libellé court type resultat	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 lic_tre	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 juil. 2015 11:32:22
	Last Modified	1 mars 2016 12:52:06


tem_en_sve_tre		
Description	temoin en service type résultat	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_tre	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 juil. 2015 11:32:51
	Last Modified	1 mars 2016 12:52:06

Relationships

fk_sicol_typ_resultat_candidat_cursus_interne_cod_tre : Relationship		
To	 candidat_cursus_interne	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	9 juil. 2015 11:34:32
	Last Modified	1 mars 2016 12:52:06

sicol_dip_aut_cur


Name	Value	
Description	R�r�rentiel SiScol : Diplomes de l'enseignement superieur	
Data Model	Physical	
Mapped Class	 Sicol_dip_aut_cur	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Constraint Name	DAC_PK	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09


Columns Summary

Name	Data Type	Constraints	Nullable	Description
------	-----------	-------------	----------	-------------


cod_dac	varchar(7)	PK	No	Code Diplome Autre Cursus
lib_dac	varchar(60)		No	Libelle Long Diplome Autre Cursus
lic_dac	varchar(10)		No	Libelle Court Diplome Autre Cursus
tem_en_sve_dac	bit(1)		No	Temoin en Service


Columns

cod_dac									
Description	Code Diplome Autre Cursus								
Type	varchar								
Nullable	false								
Unique	false								
Primary Key	true								
Index	false								
Type Name	VARCHAR2								
Length	7								
Scale	0								
Id Generator	assigned								
Attribute Model	 cod_dac								
Generated	Unspecified								
Sync To Attribute	Yes								
Project Management	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Author</td> <td>Kevin</td> </tr> <tr> <td>Create Date Time</td> <td>28 janv. 2015 14:53:11</td> </tr> <tr> <td>Last Modified</td> <td>1 mars 2016 12:40:09</td> </tr> </tbody> </table>	Name	Value	Author	Kevin	Create Date Time	28 janv. 2015 14:53:11	Last Modified	1 mars 2016 12:40:09
	Name	Value							
	Author	Kevin							
	Create Date Time	28 janv. 2015 14:53:11							
Last Modified	1 mars 2016 12:40:09								


lib_dac	
Description	Libelle Long Diplome Autre Cursus
Type	varchar
Nullable	false
Unique	false
Primary Key	false
Index	false
Type Name	VARCHAR2
Length	60
Scale	0
Id Generator	native
Attribute Model	 lib_dac
Generated	Unspecified

Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09


lic_dac		
Description	Libelle Court Diplome Autre Cursus	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 lic_dac	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09

tem_en_sve_dac		
Description	Temoin en Service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_dac	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09

Relationships

fk_cursus_siscol_dip_aut_cur_cod_dac : Relationship		
To	 candidat_cursus_post_bac	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:39:48
	Last Modified	1 mars 2016 12:52:06

candidat_cursus_post_bac


Name	Value	
Description	table des cursus post bac (interne et externe)	
Data Model	Physical	
Mapped Class	 Candidat_cursus_post_bac	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 17:15:36
	Last Modified	1 mars 2016 12:52:06

Columns Summary

Name	Data Type	Constraints	Nullable	Description
id_cursus	int(10)	PK	No	identifiant du cursus
id_candidat	int(10)	FK (candidat.id_candidat)	No	identifiant du candidat
cod_pay	varchar(3)	FK (siscol_pays.cod_pay)	No	code du pays

cod_dep	varchar(3)	FK (siscol_departement.cod_dep)	Yes	code du departement
cod_com	varchar(5)	FK (siscol_commune.cod_com)	Yes	code de la commune
cod_etb	varchar(8)	FK (siscol_etablissement.cod_etb)	Yes	code de l'etablissement
annee_univ_cursus	int(4)		No	année universitaire
cod_dac	varchar(7)	FK (siscol_dip_aut_cur.cod_dac)	No	code de diplome
cod_men	varchar(2)	FK (siscol_mention.cod_men)	Yes	code de mention
lib_cursus	varchar(255)		No	libellé du cursus
obtenu_cursus	varchar(1)		No	si le cursus a été obtenu

Columns

id_cursus									
Description	identifiant du cursus								
Type	int								
Nullable	false								
Unique	false								
Primary Key	true								
Index	false								
Length	10								
Scale	0								
Id Generator	native								
Attribute Model	 id_cursus								
Generated	Unspecified								
Sync To Attribute	Yes								
Project Management	<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Author</td> <td>Kevin</td> </tr> <tr> <td>Create Date Time</td> <td>28 janv. 2015 17:46:53</td> </tr> <tr> <td>Last Modified</td> <td>1 mars 2016 12:52:06</td> </tr> </tbody> </table>	Name	Value	Author	Kevin	Create Date Time	28 janv. 2015 17:46:53	Last Modified	1 mars 2016 12:52:06
	Name	Value							
	Author	Kevin							
	Create Date Time	28 janv. 2015 17:46:53							
Last Modified	1 mars 2016 12:52:06								

id_candidat	
Description	identifiant du candidat
Type	int
Nullable	false
Unique	false
Primary Key	false

Index	false	
Length	10	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:22:14
	Last Modified	28 janv. 2015 18:08:52

cod_pay		
Description	code du pays	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:22:20
	Last Modified	28 janv. 2015 17:57:22


cod_dep		
Description	code du departement	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:01:04
	Last Modified	28 janv. 2015 18:00:07

cod_com		
Description	code de la commune	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	5	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:11:37
	Last Modified	28 janv. 2015 18:00:07

cod_etb		
Description	code de l'etablissement	
Type	varchar	
Nullable	true	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	8	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:52:29
	Last Modified	28 janv. 2015 18:00:07


annee_univ_cursus	
Description	année universitaire
Type	int


Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	4	
Scale	0	
Attribute Model	 annee_univ_cursus	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 16:51:56
	Last Modified	1 mars 2016 12:52:06

cod_dac		
Description	code de diplome	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	7	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:18:31
	Last Modified	28 janv. 2015 17:57:22

cod_men	
Description	code de mention
Type	varchar
Nullable	true
Unique	false
Primary Key	false
Index	false
Type Name	VARCHAR2
Length	2
Scale	0
Generated	Unspecified


Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:20:33
	Last Modified	28 janv. 2015 18:00:07

lib_cursus		
Description	libellé du cursus	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	255	
Scale	0	
Attribute Model	 lib_cursus	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:21:12
	Last Modified	1 mars 2016 12:52:06


obtenu_cursus		
Description	si le cursus a été obtenu	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	1	
Scale	0	
Attribute Model	 obtenu_cursus	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	8 déc. 2015 16:52:08
	Last Modified	1 mars 2016 12:52:06

Relationships


fk_cursus_siscol_pays_cod_pay : Relationship

From	 siscol_pays	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:36:48
	Last Modified	1 mars 2016 12:52:06


fk_cursus_siscol_commune_cod_com : Relationship


From	 siscol_commune	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:37:27
	Last Modified	1 mars 2016 12:52:06


fk_cursus_siscol_departement_cod_dep : Relationship

From	 siscol_departement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:38:00
	Last Modified	1 mars 2016 12:52:06

fk_cursus_sicol_etablissement_cod_etb : Relationship		
From	 sicol_etablissement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:39:09
	Last Modified	1 mars 2016 12:52:06


fk_cursus_sicol_dip_aut_cur_cod_dac : Relationship		
From	 sicol_dip_aut_cur	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:39:48
	Last Modified	1 mars 2016 12:52:06

fk_cursus_sicol_mention_cod_men : Relationship		
From	 sicol_mention	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary

Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:40:24
	Last Modified	1 mars 2016 12:52:06

fk_cursus_post_bac_candidat_id_candidat : Relationship		
From	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 18:08:25
	Last Modified	1 mars 2016 12:52:06

siscol_com_bdi


Name	Value	
Description	Referentiel SiScol : association code commune, code postal	
Data Model	Physical	
Mapped Class	 Siscol_com_bdi	
Quality Score	Very Bad	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
	Model element without any relationship	Connect model element with relationship
Records	N/A	
Primary Key Clustered	Unspecified	


Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	25 mars 2015 10:53:27
	Last Modified	1 mars 2016 12:52:06

Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_com	varchar(5)	PK	No	code de la commune
cod_bdi	varchar(5)	PK	No	code postal


Columns

cod_com		
Description	code de la commune	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Type Name	VARCHAR2	
Length	5	
Scale	0	
Id Generator	native	
Attribute Model	 cod_com	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 mars 2015 10:59:55
	Last Modified	1 mars 2016 12:52:06

cod_bdi	
Description	code postal
Type	varchar
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	5
Scale	0
Id Generator	native
Attribute Model	 cod_bdi

Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	25 mars 2015 10:59:55
	Last Modified	1 mars 2016 12:52:06

parametre


Name	Value	
Description	table des paramètres	
Data Model	Physical	
Mapped Class	 Parametre	
Quality Score	Very Bad	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
	Model element without any relationship	Connect model element with relationship
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	30 janv. 2015 11:02:11
	Last Modified	1 mars 2016 12:52:06


Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_param	varchar(30)	PK	No	code du paramètre
lib_param	varchar(200)		No	libellé du paramètre
val_param	varchar(100)		No	valeur du paramètre
typ_param	varchar(20)		No	type du paramètre

Columns


cod_param	
Description	code du paramètre
Type	varchar
Nullable	false
Unique	false
Primary Key	true

Index	false	
Length	30	
Scale	0	
Id Generator	native	
Attribute Model	 cod_param	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 11:02:24
	Last Modified	1 mars 2016 12:52:06


lib_param		
Description	libellé du paramètre	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	200	
Scale	0	
Attribute Model	 lib_param	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 11:02:44
	Last Modified	1 mars 2016 12:52:06

val_param		
Description	valeur du paramètre	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	100	
Scale	0	
Attribute Model	 val_param	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	30 janv. 2015 11:02:57
	Last Modified	1 mars 2016 12:52:06

typ_param		
Description	type du paramètre	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 typ_param	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	5 mars 2015 10:21:20
	Last Modified	1 mars 2016 12:52:06

lock_candidat


Name	Value	
Description	table des locks eCandidat	
Data Model	Physical	
Mapped Class	 Lock_candidat	
Quality Score	Very Bad	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
	Model element without any relationship	Connect model element with relationship
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	12 janv. 2016 16:21:34
	Last Modified	28 avr. 2016 12:21:29

Columns Summary


Name	DataType	Constraints	Nullable	Description
------	----------	-------------	----------	-------------


num_dossier_opi_cpt_min	varchar(8)	PK	No	le numero de dossier du compte a minima locké
ressource_lock	varchar(40)	PK	No	la ressource du compte a minima lockée
ui_id_lock	varchar(500)		No	l'id de l'ui ayant locké la ressource
instance_id_lock	varchar(20)		No	l'instance de l'application
dat_lock	datetime		No	date du lock


Columns

num_dossier_opi_cpt_min		
Description	le numero de dossier du compte a minima locké	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Length	8	
Scale	0	
Id Generator	native	
Attribute Model	 num_dossier_opi_cpt_min	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	12 janv. 2016 16:24:48
	Last Modified	1 mars 2016 12:52:06

ressource_lock	
Description	la ressource du compte a minima lockée
Type	varchar
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	40
Scale	0


Attribute Model	 ressource_lock	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	12 janv. 2016 16:25:19
	Last Modified	1 mars 2016 12:52:06

ui_id_lock		
Description	l'id de l'ui ayant locké la ressource	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	500	
Scale	0	
Attribute Model	 ui_id_lock	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	12 janv. 2016 16:26:11
	Last Modified	28 avr. 2016 12:21:29

instance_id_lock		
Description	l'instance de l'application	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	20	
Scale	0	
Attribute Model	 instance_id_lock	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	12 janv. 2016 16:31:35
	Last Modified	1 mars 2016 12:52:06

dat_lock		
Description	date du lock	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 avr. 2016 12:20:53
	Last Modified	28 avr. 2016 12:21:29


sicol_departement


Name	Value	
Description	Rérérentiel SiScol : Table des departements	
Data Model	Physical	
Mapped Class	 Sicol_departement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Constraint Name	DEP_PK	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

Columns Summary


Name	Data Type	Constraints	Nullable	Description
cod_dep	varchar(3)	PK	No	Code Departement
lib_dep	varchar(40)		No	Libelle Long Departement
lic_dep	varchar(10)		No	Libelle Court Departement
tem_en_sve_dep	bit(1)		No	Temoin Code en Service


Columns

cod_dep		
Description	Code Departement	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Type Name	VARCHAR2	
Length	3	
Scale	0	
Id Generator	assigned	
Attribute Model	 cod_dep	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


lib_dep		
Description	Libelle Long Departement	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	40	
Scale	0	
Id Generator	native	
Attribute Model	 lib_dep	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

lic_dep	
Description	Libelle Court Departement
Type	varchar

Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 lic_dep	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09


tem_en_sve_dep		
Description	Temoin Code en Service	
Type	bit	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_dep	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:40:09

Relationships


fk_sicol_departement_commune_cod_dep : Relationship		
To	 sicol_commune	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	

On Delete	Restrict	
On Update	Cascade	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:56
	Last Modified	1 mars 2016 12:52:06


fk_sicol_departement_etab_cod_dep : Relationship


To	 sicol_etablissement	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
On Delete	Restrict	
On Update	Cascade	
To Multiplicity	0..*	
From Multiplicity	1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 15:27:57
	Last Modified	1 mars 2016 12:52:06

fk_bac_ou_equ_sicol_departement_cod_dep : Relationship

To	 candidat_bac_ou_equ	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	


Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:01:30
	Last Modified	1 mars 2016 12:52:06

fk_cursus_sicol_departement_cod_dep : Relationship		
To	 candidat_cursus_post_bac	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:38:00
	Last Modified	1 mars 2016 12:52:06

fk_sicol_departement_cod_dep_cod_dep_naiss : Relationship		
To	 candidat	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	18 févr. 2015 15:28:23
	Last Modified	1 mars 2016 12:52:06

sicol_mention


Name	Value
Description	Rérérentiel SiScol : Mention
Data Model	Physical


Mapped Class	 Siscol_mention	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Records	N/A	
Primary Key Constraint Name	MEN_PK	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09


Columns Summary

Name	Data Type	Constraints	Nullable	Description
cod_men	varchar(2)	PK	No	Code mention
lic_men	varchar(10)		No	Libelle court mention
lib_men	varchar(50)		No	Libelle long mention
tem_en_sve_men	bit(1)		No	Temoin en service mention


Columns

cod_men		
Description	Code mention	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	true	
Index	false	
Type Name	VARCHAR2	
Length	2	
Scale	0	
Id Generator	assigned	
Attribute Model	 cod_men	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09



lic_men		
Description	Libelle court mention	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	10	
Scale	0	
Id Generator	native	
Attribute Model	 lic_men	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09

lib_men		
Description	Libelle long mention	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	50	
Scale	0	
Id Generator	native	
Attribute Model	 lib_men	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09

tem_en_sve_men	
Description	Temoin en service mention
Type	bit
Nullable	false


Unique	false	
Primary Key	false	
Index	false	
Type Name	VARCHAR2	
Length	1	
Scale	0	
Attribute Model	 tem_en_sve_men	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 14:53:11
	Last Modified	1 mars 2016 12:40:09

Relationships

fk_cursus_siscol_mention_cod_men : Relationship		
To	 candidat_cursus_post_bac	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	0..*	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	28 janv. 2015 17:40:24
	Last Modified	1 mars 2016 12:52:06
fk_siscol_mention_cursus_interne_cod_men : Relationship		
To	 candidat_cursus_interne	
Quality Score	Fair	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
Identifying	false	
Subtype	false	
To Multiplicity	1	
From Multiplicity	0..1	
Sync To Association	Yes	
Data Model	Physical	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	22 mai 2015 10:37:19
	Last Modified	1 mars 2016 12:52:06

version


Name	Value	
Description	table des versions	
Data Model	Physical	
Mapped Class	 Version	
Quality Score	Very Bad	
Quality Reason	Problem	Suggestion
	Name does not contain glossary terms	Define name as term in glossary
	Model element without any relationship	Connect model element with relationship
Records	N/A	
Primary Key Clustered	Unspecified	
Project Management	Name	Value
	Author	Kevin Hergalant
	Create Date Time	17 mars 2015 10:44:11
	Last Modified	1 mars 2016 12:52:06


Columns Summary


Name	DataType	Constraints	Nullable	Description
cod_version	varchar(20)	PK	No	code de version
val_version	varchar(10)		No	valeur de la version
dat_version	datetime		No	date de la version

Columns

cod_version	
Description	code de version
Type	varchar
Nullable	false
Unique	false
Primary Key	true
Index	false
Length	20
Scale	0

Id Generator	native	
Attribute Model	 cod_version	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	17 mars 2015 10:44:19
	Last Modified	1 mars 2016 12:52:06

val_version		
Description	valeur de la version	
Type	varchar	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	10	
Scale	0	
Attribute Model	 val_version	
Generated	Unspecified	
Sync To Attribute	Yes	
Project Management	Name	Value
	Author	Kevin
	Create Date Time	17 mars 2015 10:44:37
	Last Modified	1 mars 2016 12:52:06

dat_version		
Description	date de la version	
Type	datetime	
Nullable	false	
Unique	false	
Primary Key	false	
Index	false	
Length	0	
Scale	0	
Attribute Model	 dat_version	
Generated	Unspecified	
Sync To Attribute	Yes	

Project Management	Name	Value
	Author	Kevin
	Create Date Time	20 avr. 2015 10:52:47
	Last Modified	1 mars 2016 12:52:06